



## **12mm silk screen printing glass custom , silk screen printing tempered glass panels, screen printed glass,printing tempered glass in china factory.**

### **About 12mm dot silk screen printing glass**

12mm silk screen printing glass is a high temperature ink through the screen printing process on the surface of the glass to form a pattern, through 520-600 °C high temperature baking after the printing ink and glass surface tightly together and become a decoration glass, forever so as to anti-abrasive, acid and alkaline.

The methods of silk screen printing glass has been divided into manual silk screen and screen printing with machine. If the glass of pattern is very easy we can choose manual silk screen ,and difficult or irregularity pattern we can choose screen printing with machine. For the silk screen printed tempered glass, you could choose single tempered glass or double laminated tempered glass.





### **What's the processing of silk screen printing glass ?**

The processing is as follow: stretching---sizing---drying---developing---drying---flatglass---cutting---milling---washing and drying---printing and baking.

### **Characteristics of silk screen printing glass**

- 1□Strength□For the silk screen printed tempered glass, you could choose single tempered glass or double laminated tempered glass,so approximately five times stronger than annealed glass.
- 2□Greater heat resistance, heat-resistance more than annealed glass.
- 3□Durable ,anti-abrasive, acide and alkaline
- 4□Model style, the pattern has many different types which can meet clients requirements; Also some customized are allowed.

**Specification:**

Glass name: 12mm silk screen printing glass

Glass type: decorate glass, silk screen printed tempered glass

Thickness : 3-19mm

Minimum printing size: 300\*300mm

Maximum printing size: 2440\*3660mm

Processed: Silk screen printed, cut size, drill holes, polished edge, etc

Color or pattern: As per client's requirement

Certifications: CE, ISO, CCC, BS6206, EN12543, EN12510

**Application**

12mm silk screen printing glass adapt to application indoor or outdoor, such as:

Glass show door, stair balustrade

Glass table top, fence, railing

Glass partition or glass wall





**Quality:**

12mm silk screen printing glass meet BS6206,UK safety glass standard

12mm silk screen printing glass meet EN12510 CE European safety glass standard

[illegible]

## Product line



