

SZG-Building Glass Manufacturer-13.52MM Ultra Clear Curved Tempered Laminated Glass With Printing

13.52mm low iron curved tempered laminated printing glass is combined by one pieces of [6mm low iron curved tempered glass with printing](#) (6mm ultra clear curved toughened printed glass) and another piece of 6mm low iron curved tempered glass (6mm ultra clear curved tempered glass), the two pieces of glass panels are inserted with 1.52mm transparent PVB interlayer. After heating and high pressure in the high-pressure autoclave, the two pieces of glass panels are tightly glued together by the PVB film.

Images for reference:



S Z G

Professional glass manufacturer




S Z G

Professional glass manufacturer




S Z G

Professional glass manufacturer



S Z G

Professional glass manufacturer



Advantages:

- 1.Security: 13.52mm low iron printing curved laminated tempered glass has same safety advantages as laminated glass. When it's broken, the debris will still stick to the film and won't fall off.
- 2.High Strength: Curved Tempered laminated glass is 4-5 times harder than non-tempered laminated glass.
- 3.The 13.52mm extra clear curved laminated glass can reduce the transmission of ultraviolet light.
- 4.Various choices for patterns, it's artistic for decoration.

Applications:

- 1.Partition, storefronts glass.
- 2.Balustrade, railing, handrail, balcony.
- 4.Door, etc..



Specifications:

Product name: 13.52mm low iron printed curved tempered laminated glass

Other descriptions: 66.4 low iron curved toughened laminated glass, 6mm+6mm curved ESG VSG, 6mm+1.52PVB+6mm extra clear tempered laminated glass, 13.52mm super clear curved tempered laminated glass, super clear curved ceramic frit glass.

Combinations: 6mm low iron printed curved tempered glass+ 1.52mm PVB+ 6mm low iron curved tempered glass

Patterns: Any patterns, according to designs.

Available colors: Any Pantone colors.

Size: Customized sizes, jumbo sizes are available.

Notice:

All processes such as drilling holes, polishing edge, rounding corners, cutouts, cutting notches, etc. must be finished before being tempered and then laminated.

Production Equipment :



Quality standards:

SZG - tempered laminated glass are produced strictly in accordance with the requirements of the ISO 9001 quality management system certification and meets the following quality standards.

1. Chinese Safety Glass standard (CCC).
2. BS 6206 certificate of UK safety glass standard.
3. European safety glass quality standard: EN 14449 certificate (CE).
4. USA laminated safety glass quality standard: SGCC certificate.

DECLARATION OF CONFORMITY

Labtest Laboratory Certificate No. LPT1010262

EC Declaration of CPD Conformity

The following product has been tested by Labtest Technology Laboratories Ltd with the following standards and found to conform with the CE Conformity Directive of 93/68/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Report No: LPT1010262

Applicant: SHANGHAI SUN GLASS GLASS CO., LTD
 Address: NO.1001 FUCHAI ROAD, WUJIANG DISTRICT, SHANGHAI, CHINA

Manufacturer: SHANGHAI SUN GLASS GLASS CO., LTD
 Address: NO.1001 FUCHAI ROAD, WUJIANG DISTRICT, SHANGHAI, CHINA

Product: Laminated Safety Glass

Model No: 5mm+12Air+5mm, 5mm+12Air+5mm, 5mm+12Air+5mm, 5mm+12Air+5mm

Trade Mark: SUN

Test Standards: EN 12185-2:2007
 EN 12185-2:2007



The reference test report shows that the product complies with the essential requirements of the above listed standards. The applicant is authorized to use the certificate in accordance with the CE Declaration of CPD conformity according to the rules.

The certificate of conformity is based on a single evaluation of the submitted samples of the above listed products. It does not carry an assessment of the other production or the other products of the same manufacturer.

DECLARATION OF CONFORMITY

Labtest Laboratory Certificate No. LPT1010262

EC Declaration of CPD Conformity

The following product has been tested by Labtest Technology Laboratories Ltd with the following standards and found to conform with the CE Conformity Directive of 93/68/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Report No: LPT1010262

Applicant: SHANGHAI SUN GLASS GLASS CO., LTD
 Address: NO.1001 FUCHAI ROAD, WUJIANG DISTRICT, SHANGHAI, CHINA

Manufacturer: SHANGHAI SUN GLASS GLASS CO., LTD
 Address: NO.1001 FUCHAI ROAD, WUJIANG DISTRICT, SHANGHAI, CHINA

Product: THERMOCLAD GLASS

Model No: 5mm, 8mm, 10mm, 12mm, 15mm, 19mm

Trade Mark: SUN

Test Standards: EN 12185-2:2004



The reference test report shows that the product complies with the essential requirements of the above listed standards. The applicant is authorized to use the certificate in accordance with the CE Declaration of CPD conformity according to the rules.

The certificate of conformity is based on a single evaluation of the submitted samples of the above listed products. It does not carry an assessment of the other production or the other products of the same manufacturer.

QUALITY MANAGEMENT SYSTEM CERTIFICATE

Certificate No. 00120000000000000000

Issued to: Sun Glass

Shanghai Sun Global Glass Co., Ltd

Address: Room 30, Floor 3, Global Business Center, Wujiaochang Company, Shanghai, China

For issue of the Quality Management System

ISO 9001:2015

The Quality Management System applies to the following areas:

Types of Building Glass (Clear Glass, Tempered Glass, Laminated Glass, Insulated Glass, Mirror Glass and Other Glass)

Applicable Clause: 8.5.3

Class of Risk: Low (R), Very Low (R)

Surveillance Audit (The first year): []

Re-certification Audit (The second year): []

Final Audit (The third year): []

Issued by: [Signature]



Professional glass manufacturer

