8.8.2 [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible].

17.52 mm [illegible] 8 mm [illegible] [illegible]: [illegible] [illegible]

17.52MM [illegible]

1. [illegible]: 8 mm [illegible] + 1.52 MM [illegible] + 8 mm [illegible]

2. [illegible]: [illegible] [illegible] [illegible]Low-E glass[illegible] [illegible] [illegible]

3. [illegible]: PVB [illegible] SGP [illegible]

4. PVB [illegible]: [illegible]

5. [illegible]: 4200 * 2440 mm

6. [illegible] [illegible]: 400 mm * 600 mm

7. [illegible]: 5 mm [illegible] 6 mm: 1000 mm
8 mm ~ 12 mm: 1500 mm
15 mm [illegible] 19 mm: 2000 mm

8. [illegible]: PVB [illegible] 1.14 mm[illegible]1.52 mm[illegible]2.28 mm[illegible]
[illegible] SGP [illegible] 0.76 mm[illegible]2.28 mm [illegible] 1.52 mm [illegible]

PS: PVB [illegible] 0.76 0.38 mm[illegible] PVB [illegible] 1.14 mm [illegible]

SGG [illegible]:

[illegible] [illegible] [illegible] [illegible] CNC [illegible] SGG [illegible]

HST[illegible] [illegible]:

1. [illegible]

2. [illegible]

3. [illegible] [illegible] [illegible]

4. □□□□□

5. □□□□□□

6. □□□□□□

7. □□□ □□□□ □ □□□□

8. □□□□□□□□□□□□
9....

□□□□□□:


Broken Pattern for Tempered Glass
1 Arc Length
2 Chord
3 Depth
4 Height
5 Thickness
6 Radius
3
2
5
4
6
1

□□□□□:



□□□□□□□□□□□: