[illegible] & [illegible] CE EN14449 [illegible]8.8.8 [illegible] Lainated [illegible]

17.52 mm [illegible]8mm [illegible]2[illegible] (SGP [illegible]PVB [illegible]) [illegible]2[illegible] Sun Global Glass co.[illegible] CAD [illegible] OEM [illegible]

[illegible];[illegible]:

1 **[8mm [illegible]]()**

2. 8mm [illegible] (8mm [illegible]8mm [illegible]8mm [illegible] **[8mm [illegible]]()**, **[8mm [illegible]]()**[illegible]8mm [illegible]8mm [illegible]8mm [illegible])

3 8mm [illegible] (8mm [illegible]8mm [illegible]8 mm [illegible]8mm [illegible]8mm [illegible]8 mm [illegible]8mm [illegible]) [illegible]

4. 8mm [illegible]

5 **[8mm Low E [illegible]]()**

6. 8mm [illegible]

7. 8mm [illegible]

8 8mm [illegible]

9. 8mm [illegible] ([illegible]: [illegible])

10. [illegible]

[illegible]:

1. [illegible]: 17.52 mm [illegible]

2. [illegible]: [illegible] Low E [illegible]

3. [illegible]: 8mm [illegible] + [illegible] + 8mm [illegible]

4. [illegible]: PVB [illegible]SGP [illegible]EVA [illegible]

5. [illegible]: [illegible] EN 14449:2005 [illegible]ISO 9001:2015[illegible]CCC[illegible]

6. [illegible]: [illegible]

7. [illegible]

[illegible]:

1. [illegible] 17.52 mm [illegible]

2. [illegible] impaled [illegible]

3. [illegible]

szg-w [illegible]:

1. [illegible]20[illegible]

2. [illegible] CAD [illegible]

3. [illegible]

4. [illegible], [illegible].

[illegible]:

[illegible]