



الزجاج CE EN12150 / BS 6206 -الكريستال الرماديالزجاج المقسى SZG 6MM الجودة القياسية

الزجاج المصقول الرمادي في حجم حسب الطلب ، ثم تمريرها في الفرن الكريستال الرمادي خفيفتم قطع الزجاج 8 6MM المقسى ، والتي تسخين الزجاج إلى قرب نقطة تليين الزجاج ، ثم تبريده بسرعة ، والتي تسمح للسطح الخارجي للزجاج الرمادي الكريستال في أحالة الضغط العالي ، وجوهر أو مركز الزجاج في التعويضالتوتر. يستخدم الزجاج المقسى ذو اللون الرمادي 6 6MM .م كزجاج أمان في البناء الحديثسوق







:مواصفات

1. الألوان الزجاجية: واضحتشديد الزجاج ، منخفض تشديد الزجاج ، تشديد الزجاج الأزرق ، البرونزيةتشديد الزجاج ، رمادي تشديد الزجاج ، تشديد الزجاج الأخضر ، الخ

2. الزجاجالسماعة: زجاج أمان رمادي 4 مم ، زجاج أمان رمادي 5 مم ، 8 ممزجاج أمان رمادي ، 10 ملم زجاج أمان رمادي إلخ




3. 300 mmx36600mmوالحد الأقصى لحجم 2440x300mm الزجاج: الحد الأدنىحجم 300

4. الحافة ثلاثية الحواف ، إلخ ، OGEE حافة العمل: شقة الحافة المصقولة ، الحافة المشطوفة ، الحافة المشطوفة ، حافة .

5. حفر ثقوب: ثقوب يجب أن يكون على الأقل مرتين من سمك الزجاج .


6. مجسمات: قطع والقياسات هي بالضبط نفس الشيء بناءً على رسم العميل .

7. الزاوية الآمنة: ركن السلامة يمكن أن يحمي الناس من الحوادث .



مميزات:

1. يعتبر الزجاج المقسى ذو اللون الرمادي الرمادي أقوى بـ 4-5 مرات من 6 مم العادي **صلب تعويم الزجاج**. MM قوة قوية: 6 . عملية تشديد قللت كثيرا من خطر الكسر الحراري.
2. زجاج الأمان: متيحدث الكسر ، والزجاج المقسى الرمادي 6 مم تشديد الزجاج سوف اقتحام مكعب صغير شظايا ولا ضرر لجسم الإنسان. انها تستخدم على نطاق واسع في المبنى الحديث.
3. وضوح الشمس والزجاج المقوى الرمادي لديه الاستقرار الحراري جيدة ، يمكن تحمل 300 درجة مئوية الفرق ، 3 مرات من 6mm . الزجاج الصلب العادي.



التطبيقات:

الكريستال الرمادي بالزجاج المقسى ينتمي إلى السلامة والأداء الجيد ، ويستخدم على نطاق واسع كما أدناه المناطق MM كما 6

1. زجاج الباب ، دش الشاشة الزجاجية ، دش زجاج الباب

2. زجاج التقسيم ، والزجاج جدار التقسيم

3. سياج الزجاج ، درابزين الزجاج ، درابزين الزجاج

4. زجاج النافذة

جودة:

ويتوافق معاتباع معايير الجودة المحلية ISO9001 سلامة الرمادي الكريستال يتم إنتاج الزجاج بدقة بموجب نظام الجودة 6MM والخارجية:

1. شهادة السلامة الصينية الزجاج الإلزامي) CCC الكريستال الرمادي يخفف من الزجاج تلبية 6MM

2. القياسية GB15763.2 الكريستال الرمادي الزجاج المقسى تلبية الصين الزجاج المقسى 6MM.

3. E12510 الكريستال الرمادي يجتمع الزجاج المقسى تلبية معيار سلامة الزجاج الأوروبي 6MM.

3. المعيار البريطاني BS6206 الزجاج المقسى الرمادي الكريستال تلبية 6MM.


TUV Rheinland

Verification of Conformity

Glass in building - Laminated glass and laminated safety glass -
Evaluation of conformity / Product standard
EN 14449:2005
(This standard is covered by the registered patent 3301001131001)

The product in the certificate, laminated safety glass manufactured by SHENZHEN SUN GLOBAL GLASS CO., LTD. has been tested by the manufacturer for Performance Testing according to the above-mentioned European standard. The results obtained, in accordance with the applicable standards, are in full compliance with the requirements of the applicable standard. The test results and the content of this certificate are available upon request to the public. This certificate is valid for the duration of the validity of the certificate and the product in the above-mentioned standard and is not subject to any other conditions.

Company Name: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: 2/F, Qiyang Building, Shuangyuan Road, Shuangyuan, Shenzhen, Guangdong, China

Manufacturer Name: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: 2/F, Qiyang Building, Shuangyuan Road, Shuangyuan, Shenzhen, Guangdong, China

Product: Laminated Safety Glass
Material: Glass, Glass, PVB, Glass, Glass, Glass
Marking: Sun, Sun, Sun, Sun, Sun, Sun, Sun
Test Standard: EN 12150-2:2004

Shenzhen, 27 October 2011
Authorized Manager

QUALITY MANAGEMENT SYSTEM CERTIFICATE

Certificate No.: 18170131000008

To certify that
Shenzhen Sun Global Glass Co., Ltd
located at: 2/F, Qiyang Building, Shuangyuan Road, Shuangyuan, Shenzhen, Guangdong, China
has been awarded this certificate for compliance with the standard
ISO 9001:2015

The Quality Management System Applies to the following area:
Production of Building Glass (Heat Glass, Tempered Glass, Laminated Glass, Insulated Glass, Mirror Glass and Other Special Glass)

The certificate is valid until the date shown in the table below. The certificate is valid only when used together with an appropriate form of surveillance audit issued by SGS.

Date of Issue: Nov 09, 2010	Date of Validity: 31 Oct 2015
Surveillance Audit (The first time)	Surveillance Audit (The second time)

Signed by: 

DECLARATION OF CONFORMITY

Certificate No.: 18170131000008

EC Declaration of CPD Conformity

The following product has been tested by Tüv Rheinland Laboratories Ltd. and the test results are in full compliance with the CE Marking Directive of 93/68/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Report No.: 18170131000008

Applicant: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: NO. 2/F, QIYANG BUILDING, SHUANGYUAN ROAD, SHUANGYUAN, SHENZHEN, GUANGDONG, CHINA

Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: NO. 2/F, QIYANG BUILDING, SHUANGYUAN ROAD, SHUANGYUAN, SHENZHEN, GUANGDONG, CHINA

Product: TEMPERED GLASS
Material: Sun, Sun, Sun, Sun, Sun, Sun, Sun
Trade Mark: N/A
Test Standard: EN 12150-2:2004

The relevant test results show that the product complies with the essential requirements in the above-mentioned product. The applicant is authorized to use the certificate in compliance with the CE Declaration of CPD conformity according to the Directive.

SGS TEST REPORT

Report No.: 18170131000008

Product: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: NO. 2/F, QIYANG BUILDING, SHUANGYUAN ROAD, SHUANGYUAN, SHENZHEN, GUANGDONG, CHINA

Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: NO. 2/F, QIYANG BUILDING, SHUANGYUAN ROAD, SHUANGYUAN, SHENZHEN, GUANGDONG, CHINA

Product: TEMPERED GLASS
Material: Sun, Sun, Sun, Sun, Sun, Sun, Sun
Trade Mark: N/A
Test Standard: EN 12150-2:2004

Shenzhen, 27 October 2011
Authorized Manager

SGS TEST REPORT

Report No.: 18170131000008

Product: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: NO. 2/F, QIYANG BUILDING, SHUANGYUAN ROAD, SHUANGYUAN, SHENZHEN, GUANGDONG, CHINA

Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: NO. 2/F, QIYANG BUILDING, SHUANGYUAN ROAD, SHUANGYUAN, SHENZHEN, GUANGDONG, CHINA

Product: TEMPERED GLASS
Material: Sun, Sun, Sun, Sun, Sun, Sun, Sun
Trade Mark: N/A
Test Standard: EN 12150-2:2004

Shenzhen, 27 October 2011
Authorized Manager

SGS TEST REPORT

Report No.: 18170131000008

Product: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: NO. 2/F, QIYANG BUILDING, SHUANGYUAN ROAD, SHUANGYUAN, SHENZHEN, GUANGDONG, CHINA

Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: NO. 2/F, QIYANG BUILDING, SHUANGYUAN ROAD, SHUANGYUAN, SHENZHEN, GUANGDONG, CHINA

Product: TEMPERED GLASS
Material: Sun, Sun, Sun, Sun, Sun, Sun, Sun
Trade Mark: N/A
Test Standard: EN 12150-2:2004

Shenzhen, 27 October 2011
Authorized Manager

DECLARATION OF CONFORMITY

Certificate No.: 18170131000008

EC Declaration of CPD Conformity

The following product has been tested by Tüv Rheinland Laboratories Ltd. and the test results are in full compliance with the CE Marking Directive of 93/68/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Report No.: 18170131000008

Applicant: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: NO. 2/F, QIYANG BUILDING, SHUANGYUAN ROAD, SHUANGYUAN, SHENZHEN, GUANGDONG, CHINA

Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: NO. 2/F, QIYANG BUILDING, SHUANGYUAN ROAD, SHUANGYUAN, SHENZHEN, GUANGDONG, CHINA

Product: TEMPERED GLASS
Material: Sun, Sun, Sun, Sun, Sun, Sun, Sun
Trade Mark: N/A
Test Standard: EN 12150-2:2004

SGS TEST REPORT

Report No.: 18170131000008

Product: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: NO. 2/F, QIYANG BUILDING, SHUANGYUAN ROAD, SHUANGYUAN, SHENZHEN, GUANGDONG, CHINA

Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: NO. 2/F, QIYANG BUILDING, SHUANGYUAN ROAD, SHUANGYUAN, SHENZHEN, GUANGDONG, CHINA

Product: TEMPERED GLASS
Material: Sun, Sun, Sun, Sun, Sun, Sun, Sun
Trade Mark: N/A
Test Standard: EN 12150-2:2004

Shenzhen, 27 October 2011
Authorized Manager

Certificate No.: DP10GP14000

SentryGlas

DuPont Glass Laminating Solutions

is pleased to confirm that the company:

SHENZHEN SUN GLOBAL GLASS CO., Ltd

has successfully passed the qualification process of SentryGlas® on May, 2014.

This certificate is valid until the date shown in the below table as long as your manufacturing process for laminated safety glass remains unchanged. Renewal is subject to validation of newly supplied laminates.

Date: 2014-05-29 By DuPont: 

VALIDITY	VALIDITY	VALIDITY	VALIDITY	VALIDITY	VALIDITY	VALIDITY	VALIDITY
2014.5.29	2014.6.8	2014.6.8	2014.6.8	2014.6.8	2014.6.8	2014.6.8	2014.6.8

By authorizing the certificate, DuPont Glass Laminating Solutions does not assume any liability for the responsibility of the signatory company, which is the sole party responsible for the correctness of the product's conformity with applicable laws, regulations, rules and the certificate's "expiration date".