


**تستخدم الحائط الساطر ، U مادة البناء 7 مم من الزجاج المقسى على شكل حرف U للقواطع U مقاس 7 مم ، زجاج على شكل U الزجاج المقسى على شكل حرف**

بحجم 7 ملم (والمعروفة أيضًا باسم "قناة القناة") هي استخدام أول إنتاج U إن طريقة استخدام الزجاج المقسى على شكل حرف U المسمى بذلك. مجموعة متنوعة من الزجاج على شكل حرف ، "U" متواصل لللفافة والتشكيل ، نظرًا لأن المقطع العرضي هو نوع تتميز بأعلى جودة من الضوء ، والعزل الحراري ، والحفاظ على الحرارة وقوة ميكانيكية عالية ، ليس فقط على نطاق واسع ، والبناء ، بسيط ، وله تأثير معماري وديكور فريد من نوعه ، ويمكن أن يوفر الكثير لمحات من المعدن الخفيف ، إنه أحد زجاج البناء الاقتصادي الصديق للبيئة.





### الشخصي u تجهيز الزجاج المقسى

من عملية تشكيل في أفران أخذود القصدير الزجاجية التي يتحكم فيها نظام الكمبيوتر. u يتم إنتاج الزجاج المقسى على شكل حرف ستجلب هذه العملية ضغط الضغط السطحي الزجاجي وإجهاد الشد الداخلي الذي يمكن أن يحسن القوة الميكانيكية للزجاج عن طريق الإنبات ويؤدي إلى ثبات حراري جيد. لديها قوة ميكانيكية أفضل من الزجاج العام.



### الشخصي u ملامح من الزجاج المقسى

1. خفيفة الوزن ، والحد من بناء وزنه الخاص ، يمكن أن تزيد الأشكال الخفيفة من بناء مساحة الأرضية القابلة للاستخدام.

2. عزل الصوت ، والعزل الحراري ، وتحسين البيئة لتوفير الطاقة.

K ، المعلومات الموصوفة في كوب من عزل صوت الأخدود المزدوج هي 38 ديسيبل ، معامل انتقال الحرارة هو 1.74 واط / م 2 ، الزجاج من حيث الحد من استهلاك الطاقة في المبنى هو K.Trough. ومعامل نقل الحرارة للزجاج أحادي 6 ملم هو 3.65 واط / م 2 ، نوع من مواد الجدار المثالي.

3. السلامة ، ومقاومة التآكل ، السابقة للضوء الشكل المثالي للمواد الجدار.

4. سهولة البناء والاقتصادية والعملية.

### سمة من الزجاج يو

Mechanical Strength	Fire Resistance	Chemical Stability	Tensile Strength	Mohs Hardness	Modulus of elasticity	Coefficient of linear expansion
700~900N/mm <sup>2</sup>	0.75h	0.18mg	30~50N/mm <sup>2</sup>	6-7	60000~70000N/mm <sup>2</sup>	75-85X10 <sup>-7</sup> Temperature increase of 1 degree Celsius

Type	Light Transmittance Single Wing	Light Transmittance Double Wing	Heat Transfer Coefficient Single Wing	Heat Transfer Coefficient Double Wing	Sound Insulation Capacity Single Wing	Sound Insulation Capacity Double Wing
U Profile Glass Ordinary Fine Lines	88%	80%	4.9W/m <sup>2</sup> k	2.35W/m <sup>2</sup> k	27db	38db

#### تخصيص

(العرض (مم)	(ارتفاع شفة (مم)	(سمك الزجاج (مم)	Max.length (مم)	(M2 / الوزن (طبقة واحدة) (كجم)
232mm	60MM	7MM	معالجة 6000mm	25.43kg / M2
262mm				24.5kg / M2
332mm				23.43kg / M2
نوع النقش السطح	الشفافية ، بيضاء فائقة. نمط الجليد وتموج (تموج سميك وتموج رقيقة) ، يمكن أن تنتج أنماط خاصة حسب العملاء.			
طلاء الزجاج	إشعاع منخفض ، سماء زرقاء ، لون سيراميك ، معالجة تفجير الرمال ، إلخ.			

الشخصي خفف من الزجاج التطبيق u-- ملم 7



خط إنتاج الزجاج المقسى 7 ملم يو الشخصي




### **التعبئة:**

، يتم فصل كل ورقة زجاجية بجودة عالية ومقاومة للعفن

.قبل التعبئة ، يجب فحص كل ورقة زجاجية

.باستخدام العلامة التجارية الجديدة ودائم ، حالة الخشب الرقائقي ابحار مع حماية رغوة داخل

.سيتم ربط كل حالة بحزام معدني



**S Z G**

Professional glass manufacturer



شهادة

Verification of Conformity  
No. 18442/2015

Glass in building - Laminated glass and laminated safety glass -  
Evaluation of conformity / Product standard  
EN 14442:2015

The product in the certificate Laminated Safety Glass, manufactured by SHENZHEN SUN GLOBAL GLASS CO., LTD. was submitted to the manufacturer for Performance Testing according to the administrative European standard. The results showed compliance with the applicable requirements. The test results and the content of this declaration of Conformity, including those in the label sample, are available on file at the laboratory and shall be the subject of the technical record and of product registration.

Company Name: SHENZHEN SUN GLOBAL GLASS CO., LTD.  
Address: 3F, Qingyuan Building, Shuangyuan Road, Luoyu  
City: Pengzhou, Chengde, Sichuan, P.R. China

Product Name: SHENZHEN SUN GLOBAL GLASS CO., LTD.  
Address: 3F, Qingyuan Building, Shuangyuan Road, Luoyu  
City: Pengzhou, Chengde, Sichuan, P.R. China

Product Laminated Safety Glass  
Model: SHENZHEN SUN GLOBAL GLASS CO., LTD.  
SHENZHEN SUN GLOBAL GLASS CO., LTD.  
SHENZHEN SUN GLOBAL GLASS CO., LTD.  
SHENZHEN SUN GLOBAL GLASS CO., LTD.

TSU Assessment Management Co., Ltd.  
No. 111, Lane 111, Street 1, Shuangyuan Road,  
Luoyu, Chengde, Sichuan, P.R. China

Shanghai, 27 October 2015




Certificate No. 2015P7428

DuPont Glass Laminating Solutions

a piece's confidence for impact

SHENZHEN SUN GLOBAL GLASS CO., Ltd

has successfully passed the qualification process of Iso9001 in No. 2014

The certificate is valid until the date shown in the below table as long as your manufacturing process for laminated safety glass remains unchanged. Beyond a subject's violation of such stipulated conditions.


Due: 2015-12-31

Validity

2015.12.31	2016.12.31	2017.12.31	2018.12.31	2019.12.31	2020.12.31	2021.12.31
------------	------------	------------	------------	------------	------------	------------

TSU Assessment Management Co., Ltd.  
No. 111, Lane 111, Street 1, Shuangyuan Road,  
Luoyu, Chengde, Sichuan, P.R. China

Shanghai, 27 October 2015

DECLARATION OF CONFORMITY

Labtest Laboratory Certificate No.: LBT1012102E

EC Declaration of CPD Conformity

The following product has been tested by Labtest Technology Laboratory Ltd. with the following standards and found in conformity with the EC Council Directive of 89/105/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Report No.: LBT1012102E

Applicant: SHENZHEN SUN GLOBAL GLASS CO., LTD.  
Address: NO.34 FLOOR SAJI BUILDING BUILDING BUJIFUJIA, LONGGANG DISTRICT, SHENZHEN SHANGDONGQING, CHINA

Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD.  
Address: NO.34 FLOOR SAJI BUILDING BUILDING BUJIFUJIA, LONGGANG DISTRICT, SHENZHEN SHANGDONGQING, CHINA

Product: Laminated Glass  
Specification: 6mm+12A+6mm  
Model No.: Sunwin 1200mm, Glass 2500\*1500mm, Glass 2500\*1500mm

Trade Mark: N/A

Test Standards: EN 600 1275-2

The relevant test reports show that the product complies with the essential requirements of the above listed standards. The applicant is authorized to use this certificate in connection with the EC declaration of CPD conformity according to the Directive.

CE

Labtest Laboratory  
Shanghai, 27 October 2015

DECLARATION OF CONFORMITY

Labtest Laboratory Certificate No.: LBT10121202E

Professional glass manufacturer

The following product has been tested by Labtest Technology Laboratory Ltd. with the following standards and found in conformity with the EC Council Directive of 89/105/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Report No.: LBT10121202E

Applicant: SHENZHEN SUN GLOBAL GLASS CO., LTD.  
Address: NO.34 FLOOR SAJI BUILDING BUILDING BUJIFUJIA, LONGGANG DISTRICT, SHENZHEN SHANGDONGQING, CHINA

Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD.  
Address: NO.34 FLOOR SAJI BUILDING BUILDING BUJIFUJIA, LONGGANG DISTRICT, SHENZHEN SHANGDONGQING, CHINA

Product: TEMPERED GLASS

Model No.: Sunwin 1200mm, Glass 1500, Glass, 1500mm

Trade Mark: N/A

Test Standards: EN 12150-2:2004

The relevant test reports show that the product complies with the essential requirements of the above listed standards. The applicant is authorized to use this certificate in connection with the EC declaration of CPD conformity according to the Directive.

CE

Labtest Laboratory  
Shanghai, 27 October 2015

QUALITY MANAGEMENT SYSTEM  
CERTIFICATE

Certificate No.: 18710013000005

No. 18710013000005

Shenzhen Sun Global Glass Co., Ltd

Controlled social credit code (Organization code): 91440300711916112P

Address: Room 3F, Floor 3, Qingyuan Building, Shuangyuan Road, Luoyu, Chengde, Sichuan, China

In scope of its Quality Management System

has been awarded this certificate for compliance with the standard

ISO 9001:2015

The Quality Management System applies to the following area:

Sales of Building Glass (Float Glass, Tempered Glass, Laminated Glass, Insulated Glass, Mirror Glass and Other Specialty Glass)

Responsibility: Chen

Date of Issue: Nov 19, 2016 Date of Validity: 2016-11-19 to 2019-11-19

Surveillance Audit (The first issue)	Surveillance Audit (The second issue)	Surveillance Audit (The third issue)
--------------------------------------	---------------------------------------	--------------------------------------

The quality management system is subject to a yearly surveillance audit within the period of validity for surveillance audit only, when used together with an appropriate Notice of Surveillance Audit issued by TUV.

Issued by: 尹守晨

TSU Assessment Management Co., Ltd.  
No. 111, Lane 111, Street 1, Shuangyuan Road,  
Luoyu, Chengde, Sichuan, P.R. China

Shanghai, 27 October 2015




DECLARATION OF CONFORMITY

Labtest Laboratory Certificate No.: LBT10121302E

Professional glass manufacturer

Glass in building - Laminated glass and laminated safety glass -  
Evaluation of conformity / Product standard  
EN 14442:2015

The product in the certificate Laminated Safety Glass, manufactured by SHENZHEN SUN GLOBAL GLASS CO., LTD. was submitted to the manufacturer for Performance Testing according to the administrative European standard. The results showed compliance with the applicable requirements. The test results and the content of this declaration of Conformity, including those in the label sample, are available on file at the laboratory and shall be the subject of the technical record and of product registration.

Company Name: SHENZHEN SUN GLOBAL GLASS CO., LTD.  
Address: 3F, Qingyuan Building, Shuangyuan Road, Luoyu  
City: Pengzhou, Chengde, Sichuan, P.R. China

Product Name: SHENZHEN SUN GLOBAL GLASS CO., LTD.  
Address: 3F, Qingyuan Building, Shuangyuan Road, Luoyu  
City: Pengzhou, Chengde, Sichuan, P.R. China

Product Laminated Safety Glass  
Model: SHENZHEN SUN GLOBAL GLASS CO., LTD.  
SHENZHEN SUN GLOBAL GLASS CO., LTD.  
SHENZHEN SUN GLOBAL GLASS CO., LTD.

TSU Assessment Management Co., Ltd.  
No. 111, Lane 111, Street 1, Shuangyuan Road,  
Luoyu, Chengde, Sichuan, P.R. China

Shanghai, 27 October 2015