

## 8mm Hartglaszaun --- Gebäude Glashandlauf, Glasgeländer, Glasgeländer Hersteller & Fabrik

Glasgeländer auch Glasbalustrade, Glasgeländer, Glashandlauf, Glasbaluster, Glasgeländer, Glaszaun usw., um die Gebäude ein stilvolles Aussehen zu machen. Jede kundenspezifische Glasgröße und kundenspezifische Glasform kann von uns sowohl rahmenloses Glasgeländer als auch gerahmte Glasbalustraden haben.





## **Spezifikation:**

1. Einzelne Glasstärke: 6mm bis 19mm

Doppelglasdicke: 5mm + 5mm, 6mm + 6mm, 8mm + 8mm, 10mm + 10mm, 12mm + 12mm usw

2. Farbe: klar, niedrig Eisen, blau, Bronze, grün, grau, jede Farbe wird verfügbar sein.

3. Glasart: ausgeglichenes Glas, lamelliertes Glas, mattiertes Glas, Siebdruckglas, Isolierglas etc.


4. Max Größe: 3.3x12m, kundenspezifische Größe basierend auf Kundenzeichnung.

5. Andere gehärtetes Glas Dicke: 5mm gehärtetem Glas Geländer, 6mm gehärtetem Glas Geländer, 10mm gehärtetem Glas Geländer, 12mm gehärtetem Glas Geländer, 15mm gehärtetem Glas Geländer, 19mm gehärtetem Glas Geländer etc



### **Glasarten für Balustraden:**

1. Gehärteter Glaszaun (6mm bis 19mm)
2. Laminierter Glaszaun (4mm + 4mm, 5mm + 5mm, 6mm + 6mm usw.)
3. Siebdruckglas-Zaun (6mm bis 19mm)
4. Mattglaszaun (6mm bis 19mm)
5. Isolierter Glaszaun (5mm + 5mm, 6mm + 6mm usw.)




### **Tipps für Löcher auf Glasbrüstung:**

Löcher Kante zu Glass Edge  $\geq 2.5 \times$  Glasdicke

Löcher Durchmesser  $\geq 2 \times$  Glasdicke

Löcher Kante zu Glass Center  $\geq 5 \times$  Glasdicke



### **Glas Standard:**

Unser Balustradenglas wird unter Qualitätsstandard ISO9001 produziert und erfüllt folgende nationale und internationale Standards.

1. Erfüllen Sie den Europäischen Sicherheitsglasstandard EN12150 CE
2. Erfüllen Sie den britischen Sicherheitsstandard BS 6206
3. Entspricht dem nationalen Glasstandard GB15763.2

4. Erfüllen Sie den CCC (3C) chinesischen Sicherheitsglas-Standard



**Verification of Conformity**  
No. 1870001010000

Glass in building - Laminated glass and laminated safety glass - Evaluation of conformity / Product standard EN 14449:2005

The product is in conformity with the requirements of the standard EN 14449:2005.

Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD.  
Address: Room 30, Floor 3, Qiang Menzhi, Xixiang, Songgang, Longgang District, Shenzhen, China



**QUALITY MANAGEMENT SYSTEM CERTIFICATE**  
Certificate No. 18700010100000

Shenzhen Sun Global Glass Co., Ltd

Address: Room 30, Floor 3, Qiang Menzhi, Xixiang, Songgang, Longgang District, Shenzhen, China

ISO 9001:2015

**S Z G**  
Professional glass manufacturer



**DECLARATION OF CONFORMITY**

EC Declaration of CPD Conformity

The following product has been tested by Lattest Technology Laboratory Ltd. with the testing elements and found in conformity with the CE Standard (Directive of 90/269/EEC). It is possible to use CE marking to demonstrate the conformity with this CPD Standard.

Product No.: 1870001010000

Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD.  
Address: Room 30, Floor 3, Qiang Menzhi, Xixiang, Songgang, Longgang District, Shenzhen, China

Product: LAMINATED GLASS

Test Reference: EN 12150-2:2004

**CE**

**S Z G**  
Professional glass manufacturer



**SGS TEST REPORT**

Product: LAMINATED GLASS

Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD.



**SGS TEST REPORT**

Product: LAMINATED GLASS

Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD.

**S Z G**  
Professional glass manufacturer



**SGS TEST REPORT**

Product: LAMINATED GLASS

Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD.



**DECLARATION OF CONFORMITY**

EC Declaration of CPD Conformity

**CE**

**S Z G**  
Professional glass manufacturer



**SGS TEST REPORT**

Product: LAMINATED GLASS

Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD.



**SentryGlast**

DuPont Glass Laminating Solutions

is pleased to confirm that the company:

**SHENZHEN SUN GLOBAL GLASS CO., Ltd**

has successfully passed the qualification process of SentryGlast on May, 2014.

This certificate is valid until the date shown in the below table as long as your manufacturing process for laminated safety glass remains unchanged. Renewal is subject to validation of newly supplied laminates.

By DuPont: *[Signature]*

Product	Material	Thickness	Application
...	...	...	...

**S Z G**  
Professional glass manufacturer