

## **11.52mm grosor ultra vidrio laminado templado transparente, hojas de vidrio laminado 5 + 5 mm + 1,52 SGP, endurecieron precio vidrio laminado por metro cuadrado, el vidrio templado para construir**

11.52mm vidrio laminado ultra claro se compone de 5 mm templado de vidrio + 1,52 capas SGP con fuerte cohesión intercalada bajo alta temperatura y presión de 5 mm de vidrio templado +, De acuerdo con el procesamiento para vidrio templado y vidrio laminado, y mucho más durable y de seguridad de vidrio normal . Cuando se rompe, las astillas se adhieren a la capa intermedia SGP y no dispersarse.


### **Diferente de pvb Vidrio laminado y vidrio laminado de sgp?**

El vidrio laminado con pvb capa intermedia es común, pero SGP capa intermedia es la fuerza más de pvb capa intermedia, sino que también sea bueno usado en el mal ambiente de resistencia a los huracanes.

### **La muestra de vidrio laminado templado transparente de ultra**



Shreechakra Sun Glass Glass  
16 CF. ANGE 2571 1-2015  
ANGE 2571 1-2015  
CALL CHAIKOSB 11 1-2011  
(11) 1-2011 1-2011



### **características:**

- 1, una seguridad extremadamente alta: el vidrio laminado con incrustaciones en los edificios será aún queda por completo en la trama original cuando se ve afectada por ninguna fuerza externa cuando el vidrio se rompe. Las personas no se verán afectadas por los fragmentos de vidrio salpicaduras.
- 2, material arquitectónico de ahorro de energía.
- 3, explosión y resistencia a balas: cuando se adoptan muchas capas intermedias, diferentes grados de bala y a prueba de explosión pueden ser reducidos.
- 4, el huracán y la resistencia a los terremotos: los fragmentos de vidrio roto no se caiga al suelo en su totalidad y se quedará donde estaba antes cuando el vidrio se rompe.
- 5, control acústico: película SGP puede obstruir y absorber el sonido con el fin de reducir el ruido.
- 6, la radiación Anti-ultravioleta: puede ser muy eficaz bloquear los rayos ultravioleta en la luz del sol con una tasa de bloqueo de tan alto como más de 99% para evitar la radiación ultravioleta.
- 7, Estética material de sentido para edificios.

### **11.52mm templado especificación vidrio laminado:**

Nombre del vidrio: vidrio laminado templado 11.52mm

Espesor del vidrio: 3 + 3 mm, 4 + 4 mm, 5 + 5 mm, 6 + 6 mm, 8 + 8 mm, 10 + 10 mm, 12 + 12 mm, 15

+ 5 mm, 19 + 19 mm etc.

El color del vidrio: Claro, ultra claro, bronce, gris, azul, verde, negro, etc.

espesor SGP: 0,38 mm, 0,76 mm, 1.14mm, 1,52 mm

SGP de color: claro, verde, azul, leche, gris, bronce, rojo, etc.

Tamaño máximo: 3300 \* 1300mm

Característica: 1. Extremadamente alta seguridad

2. Los materiales de construcción de bajo consumo

3. Crear sentido estético de los edificios

4. Control de sonido

5. protección UV

Procesado: tamaño de corte, los agujeros de perforación, el borde pulido, templado, laminado, etc.

Color o tamaño: según el requisito del cliente

### **aplicación:**

De acuerdo con las leyes de construcción, el lugar debe utilizar el vidrio de seguridad:

valla de banco y balaustrada.


pantanos del hospital y la barandilla.

decoración de centro comercial supermercado y vigilancia.

Instalación hotel.

Arquitectónico y mobiliario.

Residenciales y edificios comerciales aplicación.



**calidad:**

11.52mm templado transparente de vidrio laminado se reúnen BS6206, estándar de vidrio de seguridad de Reino Unido

11.52mm Claro templado vidrio laminado de seguridad reúnen EN12510 CE norma europea cristal

11.52mm templado transparente de vidrio laminado se reúnen CE del CCC obligatoria cristal de seguridad chino.

**Verification of Conformity**  
 Evaluation of conformity / Product standard  
**EN 14449:2005**  
 The scope is defined in the original test report: 4011001-0100

The product in the certificate: Laminated Safety Glass, manufactured by SHENZHEN SUN GLOBAL GLASS CO., LTD. was submitted to the manufacturer for Performance Testing according to the dimensional Computer assisted. The results showed compliance with the applicable requirements. The test results and the content of this certificate of Conformity, including issues in the tested samples. The results remain valid as long as the certificate and data in the above mentioned document are not modified significantly.

**Company:** Name: SHENZHEN SUN GLOBAL GLASS CO., LTD.  
 Address: 3F, Qiangyuan Building, Shuangyuan Road, Luoyang, Henan, Zhengzhou, Henan, China

**Manufacturer:** Name: SHENZHEN SUN GLOBAL GLASS CO., LTD.  
 Address: 3F, Qiangyuan Building, Shuangyuan Road, Luoyang, Henan, Zhengzhou, Henan, China

**Product:** Laminated Safety Glass  
 Model: Smart Glass, Privacy Glass, Smart Glass, Privacy Glass and Smart Glass Application  
 Remark: Normally tempered glass is used to make the product.

TUV Product Management Co. Ltd.  
 No. 111, Lane 111, Street Guangyuan Road, Jinan, Shandong, Zhengzhou 210015, P.R. China

Shanghai, 27 October 2017




Certificate No. SPSP100

**DuPont Class Laminating Solutions**

a product is conforming to company:

**SHENZHEN SUN GLOBAL GLASS CO., Ltd**

has successfully passed the qualification process of DuPont in Nov. 2014

The certificate is valid until the date shown in the below table as long as your manufacturing process for laminated safety glass remains unchanged. Renewal is subject to validation (each supplied laminates)

Date: 2017-10-27

SAFED							
2017	2018	2019	2020	2021	2022	2023	2024

Each sample certificate (this certificate) is an extension of the original certificate. It is not a separate certificate. It is valid only if the original certificate is not cancelled. It is not valid if the original certificate is cancelled.

**DECLARATION OF CONFORMITY**

**EC Declaration of CPD Conformity**

The following product has been tested by Labtest Technology Laboratory Ltd. with the following standards and found in conformity with the EC Council Directive of 89/105/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Report No.: LPTC101202E  
 Applicant: SHENZHEN SUN GLOBAL GLASS CO., LTD.  
 Address: NO.34 FLOOR SA RUIJUNING BUILDING, BUJIAOYUAN, LONGHONG DISTRICT, SHENZHEN GUANGDONG, CHINA  
 Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD.  
 Address: NO.34 FLOOR SA RUIJUNING BUILDING, BUJIAOYUAN, LONGHONG DISTRICT, SHENZHEN GUANGDONG, CHINA  
 Product: Insulated Glass  
 Model No.: Smart-Glass, Smart-Glass, Smart-Glass  
 Trade Mark: N/A  
 Test Standards: EN ISO 12745

The relevant test reports show that the product complies with the essential requirements in the above listed standards. The applicant is authorized to use this certificate in connection with the EC Declaration of CPD conformity according to the Directive.




**DECLARATION OF CONFORMITY**

**Professional glass manufacturer**

The following product has been tested by Labtest Technology Laboratory Ltd. with the following standards and found in conformity with the EC Council Directive of 89/105/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Report No.: LPTC101203E  
 Applicant: SHENZHEN SUN GLOBAL GLASS CO., LTD.  
 Address: NO.34 FLOOR SA RUIJUNING BUILDING, BUJIAOYUAN, LONGHONG DISTRICT, SHENZHEN GUANGDONG, CHINA  
 Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD.  
 Address: NO.34 FLOOR SA RUIJUNING BUILDING, BUJIAOYUAN, LONGHONG DISTRICT, SHENZHEN GUANGDONG, CHINA  
 Product: TEMPERED GLASS  
 Model No.: Smart, Smart, Smart, Smart, Smart, Smart  
 Trade Mark: N/A  
 Test Standards: EN 12150-2:2004

The relevant test reports show that the product complies with the essential requirements in the above listed standards. The applicant is authorized to use this certificate in connection with the EC Declaration of CPD conformity according to the Directive.




**QUALITY MANAGEMENT SYSTEM**

**CERTIFICATE**

Certificate No.: 187100141000000  
 No. 111, Lane 111, Street Guangyuan Road, Jinan, Shandong, Zhengzhou 210015, P.R. China

Shenzhen Sun Global Glass Co., Ltd.  
 Certified under the scope of Management System  
 to issue of the Quality Management System  
 has been awarded this certificate for compliance with the standard  
**ISO 9001:2015**

The Quality Management System applies in the following area:  
 Sales of Insulating Glass (IGU) Glass, Tempered Glass, Laminated Glass, Insulated Glass, Mirror Glass and High Quality Clear Insulating Glass

The Quality Management System is applied in the following area:  
 Sales of Insulating Glass (IGU) Glass, Tempered Glass, Laminated Glass, Insulated Glass, Mirror Glass and High Quality Clear Insulating Glass

Issue of Issue: New 09, 2016 Date of Validity: 09, 2019

Nonconformities Audit (1st the first audit)	Nonconformities Audit (2nd the second audit)	Nonconformities Audit (3rd the third audit)

The quality management system is subject to yearly surveillance audits within the period of validity of the certificate in valid only when used together with all the requirements of the surveillance audit issued by TUV.

Issued by: 尹宇晨




**DECLARATION OF CONFORMITY**

**Professional glass manufacturer**

The following product has been tested by Labtest Technology Laboratory Ltd. with the following standards and found in conformity with the EC Council Directive of 89/105/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Report No.: LPTC101204E  
 Applicant: SHENZHEN SUN GLOBAL GLASS CO., LTD.  
 Address: NO.34 FLOOR SA RUIJUNING BUILDING, BUJIAOYUAN, LONGHONG DISTRICT, SHENZHEN GUANGDONG, CHINA  
 Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD.  
 Address: NO.34 FLOOR SA RUIJUNING BUILDING, BUJIAOYUAN, LONGHONG DISTRICT, SHENZHEN GUANGDONG, CHINA  
 Product: TEMPERED GLASS  
 Model No.: Smart, Smart, Smart, Smart, Smart, Smart  
 Trade Mark: N/A  
 Test Standards: EN 12150-2:2004

The relevant test reports show that the product complies with the essential requirements in the above listed standards. The applicant is authorized to use this certificate in connection with the EC Declaration of CPD conformity according to the Directive.




**línea de productos**



