

Vidrio laminado SZG de 21.52 mm con serigrafía inferior: los mejores fabricantes y fábrica de vidrio de construcción en China

El vidrio laminado de serigrafía de 21,52 mm es un tipo de vidrio laminado, que está hecho de una capa de [Cristal de serigrafía de 10 mm](#) y una capa de vidrio templado de 10 mm emparedados juntos. La capa intermedia es una película PVB de 1.52 mm, después del calentamiento y el proceso especial h-presión ig h, las dos capas de adhesión de vidrio juntas. Con el proceso de laminación, el vidrio es súper fuerte y h ig h protector contra la rotura. Es un tipo de vidrio de seguridad para la construcción de edificios modernos.



Características del vidrio templado laminado:

1. Característica del vidrio templado: el vidrio laminado de serigrafía tiene características de vidrio templado, es decir, después de la rotura, se romperá en pequeños gránulos después de la rotura, no dañará a los seres humanos.


2. Características del vidrio de seguridad: debido a que PVB tiene una fuerte adherencia, la rotura del vidrio laminado no se caerá y se unirá con la película pvb y.

3. Función de resistencia al sonido: la densidad de la película es diferente con el vidrio, por lo que el vidrio laminado puede detener la transmisión del sonido en algún nivel.

4. Resistencia a los rayos UV: el vidrio laminado con pantalla de seda reduce la penetración de los rayos UV y protege los objetos interiores de la radiación de los rayos UV.



Laminated Glass



Especificación:

Espesor de vidrio: vidrio de pantalla de seda laminada de 21.52 mm

Otros espesores de vidrio: vidrio laminado de frita cerámica de 9.52 mm, vidrio laminado de frita cerámica de 11.52 mm, vidrio laminado de frita cerámica de 13.52 mm, vidrio laminado de frita cerámica de 17.52 mm, vidrio laminado de frita cerámica de 25.52 mm, vidrio laminado de frita cerámica de 31.52 mm, vidrio frito de 39.52 mm vidrio laminado, etc.




Tamaño máximo: 3300x12000 mm

Grosor del vidrio: vidrio de pantalla de seda de 4 mm + 4 mm, vidrio de pantalla de seda de 5 mm + 5

mm, vidrio de pantalla de seda de 6 mm + 6 mm, vidrio de pantalla de seda de 8 mm + 8 mm, vidrio de pantalla de seda de 10 mm + 10 mm, vidrio de pantalla de seda de 12 mm + 12 mm, etc.

Color del vidrio: vidrio laminado transparente, vidrio laminado bajo en hierro, vidrio laminado verde, vidrio laminado bronce, vidrio laminado azul, vidrio laminado gris, vidrio laminado oscuro, vidrio laminado estampado Frit, etc.

Espesor PVB: vidrio laminado de 0.76 mm, vidrio laminado de 1.14 mm, vidrio laminado de 1.52 mm, vidrio laminado de 1.9 mm, etc.



Aplicaciones:

El vidrio laminado con pantalla de seda de 21.52 mm tiene un amplio uso en la construcción moderna, principalmente en las siguientes áreas:

1. Barandillas de vidrio, barandilla de vidrio, cerca de vidrio, etc.
2. tabique de vidrio, tabique de vidrio, pared de vidrio
3. Fachada de vidrio, muro cortina de vidrio, etc.



Certificados de calidad:

El vidrio laminado de 21.52 mm con serigrafía inferior se produce estrictamente bajo el Sistema de Calidad ISO9001 y ha pasado los siguientes estándares de calidad nacionales e internacionales:

1. El vidrio laminado de 21.52 mm con serigrafía inferior cumple con la CCC (Certificación obligatoria de vidrio de seguridad chino)
2. El vidrio laminado de 21.52 mm con serigrafía inferior cumple con el estándar de vidrio laminado de China GB9962.
3. El vidrio laminado de 21.52 mm con serigrafía inferior cumple con el estándar europeo de vidrio de seguridad EN14449: 2005.
4. El vidrio laminado de 21.52 mm con serigrafía inferior cumple con el estándar estadounidense de vidrio de seguridad SGCC ANSI Z97.



Verification of Conformity
No. 1870421200000

**Glass in building - Laminated glass and laminated safety glass -
Evaluation of conformity / Product standard
EN 14449:2005**
(This standard is covered by the registered patent 1000000000000)

The product in the certificate, laminated safety glass manufactured by **SHENZHEN SUN GLOBAL GLASS CO., LTD** was submitted for the manufacturer's Performance Testing according to the above-mentioned European standard. The results obtained, according to the applicable standards, are in full conformity with the requirements of the standard. The test results and the details of the verification of conformity are stated in the attached report. This report is valid as long as the certificate and glass in the above-mentioned standard are not subject to any change.

Company Name: SHENZHEN SUN GLOBAL GLASS CO., LTD
Address: #2, Qiyang Avenue Building, Wuyang Road, Shuangzhen, Shenzhen, Guangdong, China

Manufacturer Name: SHENZHEN SUN GLOBAL GLASS CO., LTD
Address: #2, Qiyang Avenue Building, Wuyang Road, Shuangzhen, Shenzhen, Guangdong, China

Product: Laminated Safety Glass
Model: SHENZHEN SUN GLOBAL GLASS CO., LTD
Material: SHENZHEN SUN GLOBAL GLASS CO., LTD
Test Standard: EN 12150-2:2004

Shenzhen, 27 October 2017


Responsible Manager, TUV Rheinland




**QUALITY MANAGEMENT SYSTEM
CERTIFICATE**

Certificate No.: 1870421200000

We hereby certify that
Shenzhen Sun Global Glass Co., Ltd
located at: **Room 27, Floor 1, Qiyang Avenue, Shuangzhen, Wuyang Road, Shuangzhen, Shenzhen, China**
has been awarded this certificate for compliance with the standard
ISO 9001:2015

The Quality Management System Applies to the following area:
Rules of Building Glass (Heat Glass, Tempered Glass, Laminated Glass, Insulated Glass, Mirror Glass and Other Specialty Glass)

Date of Issue: Nov 09, 2016 Date of Validity: 31/10/2019

Surveillance Audit (The first time)	Surveillance Audit (The second time)	Surveillance Audit (The third time)

(The quality management system is subject to yearly surveillance audit under the period of validity the certificate is valid only, which must together with an acceptance record of surveillance audit issued by SGS.)

Signed by: 

This certificate and its relevant information can access to the website: www.sgs.com.cn

SHENZHEN SUN GLOBAL GLASS CO., LTD
Address: #2, Qiyang Avenue, Shuangzhen, Wuyang Road, Shuangzhen, Shenzhen, China

Certificate No.: 1870421200000

EC Declaration of CPD Conformity

The following product has been tested by TüV Rheinland Laboratories Ltd. and the test results and found in conformity with the CE Conformity Directive of 90/269/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Report No.: 1870421200000

Applicant: SHENZHEN SUN GLOBAL GLASS CO., LTD
Address: #2, Qiyang Avenue Building, Wuyang Road, Shuangzhen, Shenzhen, Guangdong, China

Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD
Address: #2, Qiyang Avenue Building, Wuyang Road, Shuangzhen, Shenzhen, Guangdong, China

Product: TEMPERED GLASS

Model No.: SHENZHEN SUN GLOBAL GLASS CO., LTD
Trade Mark: N/A
Test Standard: EN 12150-2:2004

The relevant test results show that the product complies with the essential requirements in the above-mentioned standard. The applicant is authorized to use the certificate in compliance with the CE Declaration of CPD conformity according to the Directive.

The certificate of conformity is based on a single evaluation of the submitted samples of the above-mentioned product. It does not imply an assessment of the whole production and other essential Directive have to be observed.

© TüV Rheinland Laboratories Ltd. Postfach 101539, D-51059 Köln, Germany
Tel: +49 221 345-2000 Fax: +49 221 345-2001

SGS TEST REPORT

No. 1870421200000
Page 1 of 1

Reference No.: 1870421200000
Address: #2, Qiyang Avenue Building, Wuyang Road, Shuangzhen, Shenzhen, Guangdong, China

Product: Laminated Safety Glass
Model: SHENZHEN SUN GLOBAL GLASS CO., LTD
Material: SHENZHEN SUN GLOBAL GLASS CO., LTD
Test Standard: EN 12150-2:2004

Shenzhen, 27 October 2017


Responsible Manager, SGS



SGS TEST REPORT

No. 1870421200000
Page 1 of 1

Reference No.: 1870421200000
Address: #2, Qiyang Avenue Building, Wuyang Road, Shuangzhen, Shenzhen, Guangdong, China

Product: Laminated Safety Glass
Model: SHENZHEN SUN GLOBAL GLASS CO., LTD
Material: SHENZHEN SUN GLOBAL GLASS CO., LTD
Test Standard: EN 12150-2:2004

Shenzhen, 27 October 2017


Responsible Manager, SGS



SGS TEST REPORT

No. 1870421200000
Page 1 of 1

Reference No.: 1870421200000
Address: #2, Qiyang Avenue Building, Wuyang Road, Shuangzhen, Shenzhen, Guangdong, China

Product: Laminated Safety Glass
Model: SHENZHEN SUN GLOBAL GLASS CO., LTD
Material: SHENZHEN SUN GLOBAL GLASS CO., LTD
Test Standard: EN 12150-2:2004

Shenzhen, 27 October 2017


Responsible Manager, SGS



Certificate No.: 1870421200000

EC Declaration of CPD Conformity

The following product has been tested by TüV Rheinland Laboratories Ltd. and the test results and found in conformity with the CE Conformity Directive of 90/269/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Report No.: 1870421200000

Applicant: SHENZHEN SUN GLOBAL GLASS CO., LTD
Address: #2, Qiyang Avenue Building, Wuyang Road, Shuangzhen, Shenzhen, Guangdong, China

Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD
Address: #2, Qiyang Avenue Building, Wuyang Road, Shuangzhen, Shenzhen, Guangdong, China

Product: TEMPERED GLASS

Model No.: SHENZHEN SUN GLOBAL GLASS CO., LTD
Trade Mark: N/A
Test Standard: EN 12150-2:2004

The relevant test results show that the product complies with the essential requirements in the above-mentioned standard. The applicant is authorized to use the certificate in compliance with the CE Declaration of CPD conformity according to the Directive.

The certificate of conformity is based on a single evaluation of the submitted samples of the above-mentioned product. It does not imply an assessment of the whole production and other essential Directive have to be observed.

© TüV Rheinland Laboratories Ltd. Postfach 101539, D-51059 Köln, Germany
Tel: +49 221 345-2000 Fax: +49 221 345-2001

SGS TEST REPORT

No. 1870421200000
Page 1 of 1

Reference No.: 1870421200000
Address: #2, Qiyang Avenue Building, Wuyang Road, Shuangzhen, Shenzhen, Guangdong, China

Product: Laminated Safety Glass
Model: SHENZHEN SUN GLOBAL GLASS CO., LTD
Material: SHENZHEN SUN GLOBAL GLASS CO., LTD
Test Standard: EN 12150-2:2004

Shenzhen, 27 October 2017


Responsible Manager, SGS



Certificate No.: DP10GP14000

DuPont Glass Laminating Solutions

is pleased to confirm that the company:

SHENZHEN SUN GLOBAL GLASS CO., Ltd

has successfully passed the qualification process of SentryGlastm on May, 2014.

This certificate is valid until the date shown in the below table as long as your manufacturing process for laminated safety glass remains unchanged. Renewal is subject to validation of newly supplied laminates.

Date: 2014-05-29 By DuPont: 

VALIDITY	VALIDITY	VALIDITY	VALIDITY	VALIDITY	VALIDITY	VALIDITY	VALIDITY
2014.5.29	2014.6.8	2014.6.8	2014.6.8	2014.11.17	2014.6.8	2014.6.8	2014.6.8

In authorizing the certificate, DuPont Glass Laminating Solutions does not assume any liability for the responsibility of the signatory company, which is the sole party responsible for the correctness of the product's conformity with applicable laws, regulations, rules and/or standards' governing conformity.

