



SZG-Glass Glass-Building Glass - 28 mm Ford Blue Low E vidrio aislante templado

Vitrina doble acristalamiento low E azul 28mm Es un tipo de vidrio ahorrador de energía con excelente aislamiento acústico y térmico. Esta hecho por [Vidrio templado azul vado 8mm](#) y vidrio templado low E de 8 mm combinado con espaciador de aluminio 12A con aire seco o gas argón. Los paneles de vidrio y el espaciador de gas de aluminio se sellarán después de estar rodeados por un adhesivo compuesto de alta resistencia y alta densidad. El vidrio doble acristalado low E azul de 8mm + 8 mm también se llama vidrio doble acristalado 8mm + 12A + 8mm azul, vidrio aislante templado azul de 28mm ford, vidrio aislante azul claro de 8mm + 8mm, 28 mm IGU azul, etc.





Tipos comunes de vidrio aislante:

Vidrio aislante templado transparente,

vidrio con bajo contenido de hierro,

Vidrio aislante de color.

vidrio laminado vidrio aislante,

Vidrio aislante reflectante,

Vidrio aislado Low E ,

Vidrio empapado al calor, etc.

Presupuesto:

Nombre del producto: 28 mm vado azul low E vidrio aislante templado

Composición: vidrio templado azul vado 8 mm + brecha 12A + vidrio templado low E transparente de 8 mm

Espaciador: aire, argón

Espesor del espaciador: 6A 9A 12A 15A 20A

Tamaño máximo: 3300x12000mm, tamaños personalizados

Entrega: 10-15 días después del depósito recibido, los servicios urgentes están disponibles.

Equipo de producción:



 SZG



Professional glass manufacturer

Ventajas del vidrio aislante endurecido low E azul de 28 mm:

1. Prueba de sonido: el vidrio aislado azul de 28 mm puede bloquear la transmisión de sonido de manera eficiente.
2. Ahorro de energía: el vidrio aislante Low E tiene un buen efecto para el aislamiento térmico.
3. Radiación de la prevención de calor: vid azul doble vidrio esmaltado puede prevenir el calor de radiación.
4. Seguridad: el vidrio aislante templado es aproximadamente 5 veces más duro que el vidrio aislante no templado. El panel de vidrio se convertirá en pequeñas piezas cúbicas cuando se rompa.
5. El vidrio aislado puede reducir el peso de los edificios.
6. El vidrio aislante templado Azul low E tiene un buen efecto artístico que puede satisfacer los requisitos de los edificios modernos.

Aplicaciones populares:

Hoy en día, el requisito de ahorro de energía es cada vez más importante para los edificios modernos. Debido a su excelente efecto para el aislamiento térmico y acústico, el vidrio de doble acristalamiento low E de 8 mm + 8 mm se utiliza ampliamente en las construcciones modernas para las siguientes aplicaciones:

1. Muro cortina y muro de fachada;
2. Window & puertas;
3. Muro a prueba de sonido para reducir la contaminación acústica;
4. Pared de particiones, etc.



Normas de calidad:

El vidrio aislante se usa popularmente en edificios modernos debido a sus excelentes efectos de ahorro de energía. Todos los materiales utilizados en el vidrio aislante deben ser de alta calidad. El vidrio aislante laminado templado de 28 mm producido por Shenzhen Sun Global Glass CO., LTD cumple con los siguientes estándares de calidad:

Estándar 1.CCC (certificación obligatoria de vidrio de seguridad china) e ISO9001.

2.United Kingdom estándar de vidrio de seguridad: BS6206 Certificado;

3.Europeo estándar de vidrio de seguridad: Certificado CE;

Estándar de vidrio de seguridad 4.USA: Certificado SGCC.



DECLARATION OF CONFORMITY

Labtest Laboratory
Certificate No.: LPT10102628

EC Declaration of CPD Conformity

The following product has been tested by Labtest Technology Laboratories Ltd with the following standards and found to conform with the CE General Directive of 89/106/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Report No.: LPT10102628

Applicant: SHANGHAI SZG GLASS CO.,LTD.
Address: NO.16 FUYU ROAD,JIANGSU PROVINCE,JIANGSU PROVINCE,CHINA

Manufacturer: SHANGHAI SZG GLASS CO.,LTD.
Address: NO.16 FUYU ROAD,JIANGSU PROVINCE,JIANGSU PROVINCE,CHINA

Product: Laminated Glass Glass

Model No.: SHANGHAI SZG GLASS CO.,LTD.
Standard: EN 12150-2:2010

Test Mark: N/A

Test Standards: EN 12150-2:2010

The referred test report shows that the product complies with the essential requirements in the above stated standards. The applicant is authorized to use this certificate in connection with the CE Declaration of CPD conformity according to the Directive.

CE

Authorized Signatory: [Signature]



DECLARATION OF CONFORMITY

Labtest Laboratory
Certificate No.: LPT10102628

EC Declaration of CPD Conformity

The following product has been tested by Labtest Technology Laboratories Ltd with the following standards and found to conform with the CE General Directive of 89/106/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Report No.: LPT10102628

Applicant: SHANGHAI SZG GLASS CO.,LTD.
Address: NO.16 FUYU ROAD,JIANGSU PROVINCE,JIANGSU PROVINCE,CHINA

Manufacturer: SHANGHAI SZG GLASS CO.,LTD.
Address: NO.16 FUYU ROAD,JIANGSU PROVINCE,JIANGSU PROVINCE,CHINA

Product: Laminated Glass Glass

Model No.: SHANGHAI SZG GLASS CO.,LTD.
Standard: EN 12150-2:2010

Test Mark: N/A

Test Standards: EN 12150-2:2010

The referred test report shows that the product complies with the essential requirements in the above stated standards. The applicant is authorized to use this certificate in connection with the CE Declaration of CPD conformity according to the Directive.

CE

Authorized Signatory: [Signature]



QUALITY MANAGEMENT SYSTEM CERTIFICATE

Certificate No.: 07110210000004

No. of units certified: 004

Shenzhen Sun Global Glass Co., Ltd

Certified under GB/T 19001-2008/ISO 9001:2008

Address: Room 30, Floor 3, Qiliang Westtown, Qiliang, Pingtang, Longgang, Shenzhen, Shenzhen, China

In scope of the Quality Management System has been awarded this certificate for compliance with the standard:

ISO 9001:2008

The Quality Management System applies to the following units:

Sales of Building Glass (Glass Glass, Tempered Glass, Laminated Glass, Insulated Glass, Mirror Glass and Other Glass)

Applicable Clauses: 1-8

Date of Issue: Nov 09, 2010

Valid until: 10/31/2012

Renewal Fee: [Blank]

Surveillance Fee: [Blank]

Client's Name: [Blank]

The certificate management system is subject to regular surveillance visits under the terms of validity of the certificate. In all visits, initial and regular visits are conducted in accordance with the standard. Audit conducted by: 0000

Issued by: [Signature]

This certificate will be subject to periodic surveillance visits in the scope of the certification and Accreditation Administration of the People's Republic of China. (www.cca.org.cn)

Address: 101, Heping Road, Shenzhen City, Guangdong Province, China, Shenzhen, Shenzhen



SZG

Professional glass manufacturer



SGS TEST REPORT

11. Identification

12. Description

13. Test Results

14. Test Report

15. Test Report

16. Test Report

17. Test Report

18. Test Report

19. Test Report

20. Test Report

21. Test Report

22. Test Report

23. Test Report

24. Test Report

25. Test Report

26. Test Report

27. Test Report

28. Test Report

29. Test Report

30. Test Report

31. Test Report

32. Test Report

33. Test Report

34. Test Report

35. Test Report

36. Test Report

37. Test Report

38. Test Report

39. Test Report

40. Test Report



SGS TEST REPORT

11. Identification

12. Description

13. Test Results

14. Test Report

15. Test Report

16. Test Report

17. Test Report

18. Test Report

19. Test Report

20. Test Report

21. Test Report

22. Test Report

23. Test Report

24. Test Report

25. Test Report

26. Test Report

27. Test Report

28. Test Report

29. Test Report

30. Test Report

31. Test Report

32. Test Report

33. Test Report

34. Test Report

35. Test Report

36. Test Report

37. Test Report

38. Test Report

39. Test Report

40. Test Report



SGS TEST REPORT

11. Identification

12. Description

13. Test Results

14. Test Report

15. Test Report

16. Test Report

17. Test Report

18. Test Report

19. Test Report

20. Test Report

21. Test Report

22. Test Report

23. Test Report

24. Test Report

25. Test Report

26. Test Report

27. Test Report

28. Test Report

29. Test Report

30. Test Report

31. Test Report

32. Test Report

33. Test Report

34. Test Report

35. Test Report

36. Test Report

37. Test Report

38. Test Report

39. Test Report

40. Test Report

Embalaje y & Cargando:



S Z G



Professional glass manufacturer

