

SZG-rakennuslasivalmistaja-13,52MM Erittäin kirkas kaareva karkaistu laminoitu lasi painotuotteella

13,52 mm matalarautainen kaareva karkaistu laminoitu painatuslasi yhdistetään yhtenä kappaleena **6 mm matala raudasta kaareva karkaistu lasi painotuotteella** (6 mm: n ultra kirkas kaareva karkaistu painettu lasi) ja toisen kappaleen 6 mm: n matalaraudan kaarevuudesta karkaistua lasia (6 mm: n ultra kirkasta kaarevaa karkaistua lasia), nämä kaksi lasiosaa asetetaan 1,52 mm: n läpinäkyvällä PVB-välikerroksella. Kuumennuksen ja korkeapaine-autoklaavin korkean paineen jälkeen kaksi kappaletta lasilevyt liimataan tiukasti yhteen PVB-kalvolla.

Kuvat referenssiksi:



S Z G


Professional glass manufacturer



S Z G


Professional glass manufacturer





S Z G

Professional glass manufacturer



edut:

1. Turvallisuus: 13,52 mm:n matalarautaisella painatuskaarevalla laminoidulla karkaisulla lasilla on samat turvallisuusedut kuin laminoidulla lasilla. Kun se on rikki, roskat pysyvät silti elokuvassa eivätkä pudota.
2. Korkeuslujuus: Kaareva karkaistu laminoitu lasi on 4-5 kertaa kovempi kuin karkaistu laminoitu lasi.
3. Tämä 13,52 mm:n kirkas kaareva laminoitu lasi voi vähentää ultraviolettivalon läpäisyä.
4. Erilaisia valintoja malleista, se on taiteellinen koristeluun.

Sovellukset:

- 1.Ose, vitriinilasi.
- 2.Balustrade, kaite, kaide, parveke.
- 4.Ovi jne.



Tekniset tiedot:

Tuotteen nimi: 13,52 mm: n matalarautainen painettu kaareva karkaistu laminoitu lasi

Muut kuvaukset: 66,4 matalaraudan kaareva karkaistu laminoitu lasi, 6 mm + 6 mm kaareva ESG VSG, 6 mm + 1,52 PVB + 6 mm erityisen kirkas karkaistu laminoitu lasi, 13,52 mm erittäin kirkas kaareva karkaistu laminoitu lasi, super kirkas kaareva keraaminen frit -lasi.

Yhdistelmät: 6 mm: n matalarautainen painettu kaareva karkaistu lasi + 1,52 mm PVB + 6 mm: n matalarautainen kaareva karkaistu lasi

Kuviot: Kaikki mallit kuvioiden mukaan.

Saatavilla olevat värit: Pantone-värit.

Koko: räätälöityjä kokoja, jumbo-kokoja on saatavana.

Ilmoitus:

Kaikki prosessit, kuten reikien poraus, kiillotusreuna, kulmien pyöristäminen, aukot, leikkauslovet jne., On suoritettava loppuun ennen karkaisua ja laminointia.

Tuotantolaitteet:



Laatustandardit:

SZG - karkaistu laminoitu lasi valmistetaan tiukasti ISO 9001 -laatujärjestelmän sertifiointin vaatimusten mukaisesti ja täyttää seuraavat laatustandardit.

1. Kiinalainen turvalasistandardi (CCC).
2. BS 6206 -sertifikaatti Ison-Britannian turvalasistandardista.
3. Eurooppalainen turvalasin laatustandardi: EN 14449 -sertifikaatti (CE).
4. USA: n laminoitun turvalasin laatustandardi: SGCC-sertifikaatti.

DECLARATION OF CONFORMITY

Labtest Laboratory Certificate No. LPT1010262

EC Declaration of CPD Conformity

The following product has been tested by Labtest Technology Laboratories Ltd with the following standards and found to conform with the CE Conformity Directive of 93/68/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Report No.: LPT1010262

Applicant: SHANGHAI SUN GLASS GLASS CO., LTD
 Address: NO. 1000 FUYUAN ROAD, SUZHOU, JIANGSU PROVINCE, CHINA

Manufacturer: SHANGHAI SUN GLASS GLASS CO., LTD
 Address: NO. 1000 FUYUAN ROAD, SUZHOU, JIANGSU PROVINCE, CHINA

Product: Laminated Safety Glass

Model No.: 5mm+12Air+5mm, 5mm+12Air+5mm, 5mm+12Air+5mm, 5mm+12Air+5mm

Trade Mark: SUN

Test Standards: EN 12185-2:2007, EN 12185-2:2007

The referred test specimens show that the product complies with the essential requirements of the above stated standards. The applicant is authorized to use the certificate in accordance with the CE Declaration of CPD conformity according to the rules.

CE 

DECLARATION OF CONFORMITY

Labtest Laboratory Certificate No. LPT1010262

EC Declaration of CPD Conformity

The following product has been tested by Labtest Technology Laboratories Ltd with the following standards and found to conform with the CE Conformity Directive of 93/68/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Report No.: LPT1010262

Applicant: SHANGHAI SUN GLASS GLASS CO., LTD
 Address: NO. 1000 FUYUAN ROAD, SUZHOU, JIANGSU PROVINCE, CHINA

Manufacturer: SHANGHAI SUN GLASS GLASS CO., LTD
 Address: NO. 1000 FUYUAN ROAD, SUZHOU, JIANGSU PROVINCE, CHINA

Product: THERMOCLAD GLASS

Model No.: 5mm, 5mm, 5mm, 5mm, 5mm, 5mm

Trade Mark: SUN

Test Standards: EN 12185-2:2004

The referred test specimens show that the product complies with the essential requirements of the above stated standards. The applicant is authorized to use the certificate in accordance with the CE Declaration of CPD conformity according to the rules.

CE 

QUALITY MANAGEMENT SYSTEM CERTIFICATE

Certificate No.: 01710200000000000000

Issued to: **Shanghai Sun Global Glass Co., Ltd**

Address: Room 10, Floor 3, Gilling Warehouse, Gilling, Shanghai Company, Shanghai, China

For scope of: **Building Glass, Safety Glass, Tempered Glass, Laminated Glass, Insulated Glass, Mirror Glass and Other Glass Products**

ISO 9001:2015

The Quality Management System applies to the following sites:
 Site of Building Glass (Glass Glass, Tempered Glass, Laminated Glass, Insulated Glass, Mirror Glass and Other Glass Products)

Applicable Clause: 

Class of Award: New (N), 2014

Surveillance Audit (The first year): The second year: The third year:

Issued by: 



Professional glass manufacturer

SGS TEST REPORT

NO. 1000 FUYUAN ROAD, SUZHOU, JIANGSU PROVINCE, CHINA

SGS logo

SGS TEST REPORT

Item	Standard	Result	Remarks
1	EN 12185-2:2007	Pass	
2	EN 12185-2:2007	Pass	
3	EN 12185-2:2007	Pass	

SGS logo

SGS TEST REPORT

NO. 1000 FUYUAN ROAD, SUZHOU, JIANGSU PROVINCE, CHINA

SGS logo