



SZG 6mm kristalliharmaakarkaistu lasi - CE EN12150 / BS 6206 Standard Quality Glass

6mm kristalliharmaa karkaistulasi leikataan 8 mm: n kristallinharmaata kelluvaa lasia räätälöityyn kokoon ja siirrä ne sitten karkaistuun uuniin, joka lämmittää lasin lähelle lasin pehmenemispistettä nopeasti jäädytetty, joka antaa 6 mm: n kiteisen harmaan lasin ulkopinnan korkean puristuksen tila ja lasin ytimen tai keskipisteen kompensointijännitteitä. 6 mm: n kristalliharmaa karkaistu lasi käyttää turvalasina modernissa rakennuksessamarkkinoida.







Tekniset tiedot:

1. Lasivärit: kirkaskarkaistu lasi, matala rauta karkaistu lasi, sininen karkaistu lasi, pronssikarkaistu lasi, harmaa karkaistu lasi, vihreä karkaistu lasi jne

2. Lasipaksuus: 4mm kristalliharmaa turvakasi, 5mm kristalliharmaa turvakasi, 8mmkristalliharmaa suojalasi, 10mm kristalliharmaa turvakasi jne




3. Lasin koko: minimikoko 300x300mm ja maksimikoko 2440mmx3660mm

4. Edge work: tasainenkiillotettu reuna, viistetty reuna, viistoreuna, OGEE-reuna, kolminkertainen OG-reuna jne.

5. Porausreiät: reiäthalkaisijan on oltava vähintään kaksi kertaa lasin paksuudesta.

6. Leikkaa: leikkaus jamittaukset ovat täsmälleen samat asiakkaan piirustusten perusteella.


7. Turvallinen kulma: turvakulma voi suojata ihmisiä onnettomuuksista.



Ominaisuudet:

1. Vahva vahvuus: 6mmkristallinharmaa karkaistu lasi on vähintään 4-5 kertaa tavallista 6 mm **hehkutettu float-lasi**. Kovettumisprosessi on vähentänyt suuresti riskiä terminen rikkoutuminen.
2. Turvalasi: milloin rikkoutuminen tapahtuu, 6 mm:n kristallinharmaa karkaistu lasi hajoaa pieneen kuutiometriin fragmentteja ja ei vahingoita ihmiskehoa. Se käyttää laajasti modernissa rakennuksessa.
3. 6mm kristalliharmaalla vahvistetulla lasilla on hyvä lämpöstabiilisuus, voikestä 300 °C lämpötilaero, 3

kertaa kuin tavallinen hehkutettu lasi.



Sovellukset:

6 mm: n kiteinen harmaakarkaistu lasi kuuluu turvallisuuteen ja hyvään suorituskykyynaloilla:

1. Lasiovi, lasisuihkukuva, lasisuihkuovi
2. Lasi-väliseinä, lasiseinäseinä
3. Lasi-aita, lasikatto, lasipiirroksat
4. Lasi-ikkuna

Laatu:

6mm kristallin harmaa turvallisuuslasia valmistetaan tiukasti ISO9001-laatujärjestelmän mukaisesti ja se vastaanottaa kotimaisten ja ulkomaisten laatustandardeja:

1. 6mm kristalliharmaakarkaistu lasi täyttää CCC: n (Kiinan turvallisuuslasin pakollinen sertifiointi)
2. 6mm kristalliharmaakarkaistu lasi täyttää Kiinan karkaistun lasin standardin GB15763.2.
3. 6mm kristalliharmaakarkaistu lasi täyttää eurooppalaisen turvalasin standardin E12510 vaatimukset.
3. 6mm kristalliharmaa karkaistu lasi täyttää brittiläinen standardi BS6206.



Verification of Conformity
No. 1870421200000

**Glass in building - Laminated glass and laminated safety glass -
Evaluation of conformity / Product standard
EN 14449:2005**
(This standard is covered by the registered patent 1000000000000)

The product in the certificate, laminated safety glass manufactured by **SHENZHEN SUN GLOBAL GLASS CO., LTD** was submitted for the manufacturer's Performance Testing according to the above-mentioned European standard. The results obtained, consistent with the applicable requirements. The test results and the content of this certificate of conformity are subject to the initial inspection. The results shown shall be kept on the certificate and also in the above-mentioned standard or technical specification.

Company Name: SHENZHEN SUN GLOBAL GLASS CO., LTD
Address: #2, Qiyang Avenue Building, Wuyang Road, Shuangzhen, Shenzhen, Guangdong
Country: China

Manufacturer Name: SHENZHEN SUN GLOBAL GLASS CO., LTD
Address: #2, Qiyang Avenue Building, Wuyang Road, Shuangzhen, Shenzhen, Guangdong
Country: China

Product: Laminated Safety Glass
Model: SHENZHEN SUN GLOBAL GLASS CO., LTD
Material: SHENZHEN SUN GLOBAL GLASS CO., LTD
Test Standard: EN 12150-2:2004

Shenzhen, 27 October 2017


Responsible Manager, TUV Rheinland





**QUALITY MANAGEMENT SYSTEM
CERTIFICATE**

Certificate No.: 1870421200000

We hereby certify that
Shenzhen Sun Global Glass Co., Ltd
Unified social credit code: 914403006277010010

Address: Room 2F, Floor 1, Qiyang Avenue, Shuangzhen, Wuyang Road, Shuangzhen, Shenzhen, China

is in possession of a
Quality Management System
has been awarded this certificate for compliance with the standard
ISO 9001:2015

The Quality Management System Applies to the following area:
Rules of Building Glass (Heat Glass, Tempered Glass, Laminated Glass, Insulated Glass, Mirror Glass and Other Specialty Glass)

Applicable Clause:
4

Date of Issue: Nov 09, 2016 Date of Validity: Nov 09, 2019

Surveillance Audit (The first time)	Surveillance Audit (The second time)	Surveillance Audit (The third time)

(The quality management system is subject to yearly surveillance audit under the period of validity the certificate is valid only, which must together with an acceptance record of surveillance audit issued by SGS.)

Signed by: 

This certificate and its relevant information can access to the website: www.sgs.com.cn

SHENZHEN SUN GLOBAL GLASS CO., LTD
Address: #2, Qiyang Avenue, Shuangzhen, Wuyang Road, Shuangzhen, Shenzhen, China

Certificate No.: 1870421200000

EC Declaration of CPD Conformity

The following product has been tested by TüV Rheinland Laboratories Ltd. and the test results and found to be in conformity with the CE Marking Directive of 93/68/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Report No.: 1870421200000

Applicant: SHENZHEN SUN GLOBAL GLASS CO., LTD
Address: NO. 02 FLOOR 2/F, QIYANG AVENUE BUILDING, SHUANGZHEN, SHENZHEN, GUANGDONG, CHINA

Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD
Address: NO. 02 FLOOR 2/F, QIYANG AVENUE BUILDING, SHUANGZHEN, SHENZHEN, GUANGDONG, CHINA

Product: TEMPERED GLASS

Model No.: SUN SUN SUN SUN SUN SUN SUN SUN

Trade Mark: N/A

Test Standard: EN 12150-2:2004

The relevant test results show that the product complies with the essential requirements in the above-mentioned product. The applicant is authorized to use the certificate in connection with the CE Declaration of CPD conformity according to the Directive.

The certificate of conformity is based on a single evaluation of the submitted samples of the above-mentioned product. It does not imply an assessment of the whole production and other relevant Directive have to be observed.

© TüV Rheinland Laboratories Ltd. Postfach 1015, Heinsberg, 51694 Heinsberg, Germany
Tel: +49 2151 200-0 Fax: +49 2151 200-2000 www.tuev.com

SGS TEST REPORT

No. 1870421200000
Page 1 of 1

Reference No.: 1870421200000
Address: SHENZHEN SUN GLOBAL GLASS CO., LTD
No. 02 FLOOR 2/F, QIYANG AVENUE BUILDING, SHUANGZHEN, SHENZHEN, GUANGDONG, CHINA

The following product has been tested by SGS and the test results and found to be in conformity with the CE Marking Directive of 93/68/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Product: TEMPERED GLASS
Model No.: SUN SUN SUN SUN SUN SUN SUN SUN
Test Standard: EN 12150-2:2004

Signed by: 
Responsible Manager, SGS



SGS TEST REPORT

No. 1870421200000
Page 1 of 1

Reference No.: 1870421200000
Address: SHENZHEN SUN GLOBAL GLASS CO., LTD
No. 02 FLOOR 2/F, QIYANG AVENUE BUILDING, SHUANGZHEN, SHENZHEN, GUANGDONG, CHINA

The following product has been tested by SGS and the test results and found to be in conformity with the CE Marking Directive of 93/68/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Product: TEMPERED GLASS
Model No.: SUN SUN SUN SUN SUN SUN SUN SUN
Test Standard: EN 12150-2:2004

Signed by: 
Responsible Manager, SGS



SGS TEST REPORT

No. 1870421200000
Page 1 of 1

Reference No.: 1870421200000
Address: SHENZHEN SUN GLOBAL GLASS CO., LTD
No. 02 FLOOR 2/F, QIYANG AVENUE BUILDING, SHUANGZHEN, SHENZHEN, GUANGDONG, CHINA

The following product has been tested by SGS and the test results and found to be in conformity with the CE Marking Directive of 93/68/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Product: TEMPERED GLASS
Model No.: SUN SUN SUN SUN SUN SUN SUN SUN
Test Standard: EN 12150-2:2004

Signed by: 
Responsible Manager, SGS



Certificate No.: 1870421200000

EC Declaration of CPD Conformity

The following product has been tested by TüV Rheinland Laboratories Ltd. and the test results and found to be in conformity with the CE Marking Directive of 93/68/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Report No.: 1870421200000

Applicant: SHENZHEN SUN GLOBAL GLASS CO., LTD
Address: NO. 02 FLOOR 2/F, QIYANG AVENUE BUILDING, SHUANGZHEN, SHENZHEN, GUANGDONG, CHINA

Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD
Address: NO. 02 FLOOR 2/F, QIYANG AVENUE BUILDING, SHUANGZHEN, SHENZHEN, GUANGDONG, CHINA

Product: TEMPERED GLASS

Model No.: SUN SUN SUN SUN SUN SUN SUN SUN

Trade Mark: N/A

Test Standard: EN 12150-2:2004

The relevant test results show that the product complies with the essential requirements in the above-mentioned product. The applicant is authorized to use the certificate in connection with the CE Declaration of CPD conformity according to the Directive.

© TüV Rheinland Laboratories Ltd. Postfach 1015, Heinsberg, 51694 Heinsberg, Germany
Tel: +49 2151 200-0 Fax: +49 2151 200-2000 www.tuev.com

SGS TEST REPORT

No. 1870421200000
Page 1 of 1

Reference No.: 1870421200000
Address: SHENZHEN SUN GLOBAL GLASS CO., LTD
No. 02 FLOOR 2/F, QIYANG AVENUE BUILDING, SHUANGZHEN, SHENZHEN, GUANGDONG, CHINA

The following product has been tested by SGS and the test results and found to be in conformity with the CE Marking Directive of 93/68/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Product: TEMPERED GLASS
Model No.: SUN SUN SUN SUN SUN SUN SUN SUN
Test Standard: EN 12150-2:2004

Signed by: 
Responsible Manager, SGS



Certificate No.: DP92GP14000

DuPont Glass Laminating Solutions

is pleased to confirm that the company:

SHENZHEN SUN GLOBAL GLASS CO., Ltd

has successfully passed the qualification process of SentryGlastm on May, 2014.

This certificate is valid until the date shown in the below table as long as your manufacturing process for laminated safety glass remains unchanged. Renewal is subject to validation of newly supplied laminates.

Date: 2014-05-29 By DuPont: 

VALIDITY	VALIDITY	VALIDITY	VALIDITY	VALIDITY	VALIDITY	VALIDITY	VALIDITY
2014.5.29	2014.6.8	2014.6.8	2014.6.8	2014.11.11	2014.6.8	2014.6.8	2014.6.8

In authorizing the certificate, DuPont Glass Laminating Solutions does not assume any liability for the responsibility of the registering authority, which is the sole party responsible for the correctness of the product's conformity with applicable laws, regulations, rules and/or standards' governing conformity.