

## Verre feuilleté SZG 21,52 mm avec sérigraphie inférieure - meilleurs fabricants et usines de verre de construction en Chine

Le verre sérigraphié feuilleté de 21,52 mm est une sorte de verre feuilleté, composé d'une couche de [Verre sérigraphié 10 mm](#) et une couche de 10 mm de verre sablé trempé ensemble. La couche intermédiaire est un film PVB de 1,52 mm, après chauffage et processus spécial h ig h-pression, les deux couches d'adhérence du verre ensemble. Avec le processus de laminage, le verre est super résistant et h ig h protecteur contre la rupture. C'est une sorte de verre de sécurité pour la construction de bâtiments modernes.




## Caractéristiques du verre trempé feuilleté:

1. caractéristique du verre trempé: le verre feuilleté de sérigraphie a des caractéristiques de verre trempé, c'est-à-dire qu'après la rupture, il se cassera en petits granules après la rupture, ne nuira pas aux êtres humains.
2. Caractéristiques du verre de sécurité: en raison de la forte adhérence de l'PVB, la rupture du verre feuilleté ne tombera pas et ne se liera pas par le film pvb et.
3. Fonction de résistance acoustique: La densité du film est différente avec le verre, de sorte que le verre feuilleté peut arrêter la transmission du son à un certain niveau.
4. Résistance aux rayons UV: le verre feuilleté sérigraphié réduit la pénétration des rayons UV et protège les objets intérieurs des rayons UV.



## Laminated Glass



## Spécification:

Épaisseur du verre: verre sérigraphié feuilleté de 21,52 mm




Autre épaisseur de verre: verre feuilleté fritté céramique 9,52 mm, verre feuilleté fritté céramique 11,52 mm, verre feuilleté fritté céramique 13,52 mm, verre feuilleté fritté céramique 17,52 mm, verre feuilleté fritté céramique 25,52 mm, verre feuilleté fritté céramique 31,52 mm, fritté céramique fritté 39,52 mm verre feuilleté, etc.

Taille max: 3300x12000mm

Épaisseur du verre: verre d'écran en soie 4mm + 4mm, verre d'écran en soie 5mm + 5mm, verre d'écran en soie 6mm + 6mm, verre d'écran en soie 8mm + 8mm, verre d'écran en soie 10mm + 10mm, verre d'écran en soie 12mm + 12mm etc.

Couleur du verre: verre feuilleté transparent, verre feuilleté à faible teneur en fer, verre feuilleté vert, verre feuilleté bronze, verre feuilleté bleu, verre feuilleté gris, verre feuilleté obscur, verre feuilleté imprimé Frit etc.

Épaisseur PVB: verre feuilleté 0,76 mm, verre feuilleté 1,14 mm, verre feuilleté 1,52 mm, verre feuilleté 1,9 mm, etc.



## Applications:

Le verre feuilleté en sérigraphie de 21,52 mm a une large utilisation dans la construction moderne, principalement dans les domaines suivants:

1. Garde-corps en verre, balustrade en verre, clôture en verre, etc.
2. cloison en verre, cloison en verre, mur en verre
3. façade en verre, mur-rideau en verre, etc.



## **Certificats de qualité:**

Le verre feuilleté de 21,52 mm avec sérigraphie inférieure est produit strictement sous le système de qualité ISO9001 et a passé les normes de qualité nationales et internationales suivantes:

1. Le verre feuilleté de 21,52 mm avec une sérigraphie inférieure rencontre la CCC (certification obligatoire du verre de sécurité chinois)
2. Le verre feuilleté de 21,52 mm avec sérigraphie inférieure répond à la norme GB9962 de verre feuilleté

de Chine.

3. Le verre feuilleté de 21,52 mm avec sérigraphie inférieure répond à la norme européenne EN14449: 2005 sur le verre de sécurité.

4. Le verre feuilleté de 21,52 mm avec sérigraphie inférieure répond à la norme américaine SGCC ANSI Z97.



**Verification of Conformity**  
No. 1870420120000

**Glass in building - Laminated glass and laminated safety glass -  
Evaluation of conformity / Product standard  
EN 14449:2005**  
(This standard is covered by the registered patent 1010000110000)

The product in the certificate, laminated safety glass manufactured by **SHENZHEN SUN GLOBAL GLASS CO., LTD** was submitted for the manufacturer's Performance Testing according to the above-mentioned European standard. The results obtained, consistent with the applicable requirements, the test results and the content of the declaration of conformity mentioned above in the main document, the results shown used as basis for the certificate and also in the above-mentioned standard are considered appropriate.

**Company Name:** SHENZHEN SUN GLOBAL GLASS CO., LTD  
**Address:** #1 Qianghua Building, Shuangyuan Road, Shuangyuan, Shenzhen, Guangdong  
**Country:** China

**Manufacturer Name:** SHENZHEN SUN GLOBAL GLASS CO., LTD  
**Address:** #1 Qianghua Building, Shuangyuan Road, Shuangyuan, Shenzhen, Guangdong  
**Country:** China

**Product:** Laminated Safety Glass  
**Model:** SHENZHEN SUN GLOBAL GLASS CO., LTD  
**Material:** SHENZHEN SUN GLOBAL GLASS CO., LTD  
**Test Method:** EN 12150-2:2004

Shenzhen, 27 October 2011

  
Responsible Manager, TUV Rheinland



  
**QUALITY MANAGEMENT SYSTEM  
CERTIFICATE**

Certificate No.: 1870420120000

We hereby certify that  
**Shenzhen Sun Global Glass Co., Ltd**  
located at: #1 Qianghua Building, Shuangyuan Road, Shuangyuan, Shenzhen, Guangdong, China

has been awarded this certificate for compliance with the standard  
**ISO 9001:2015**

The Quality Management System Applies to the following area:  
**Rules of Building Glass (Heat Glass, Tempered Glass, Laminated Glass, Insulated Glass, Mirror Glass and other Building Glass)**

Date of Issue: Nov 09, 2010      Date of Validity: Nov 09, 2015

Surveillance Audit (The first time)	Surveillance Audit (The second time)	Surveillance Audit (The third time)

(The quality management system is subject to yearly surveillance audit under the period of validity the certificate is valid only, which used together with an appropriate record of surveillance audit issued by SGS.)

Signed by: 

This certificate and its relevant information can access to the website: [www.sgs.com.cn](http://www.sgs.com.cn)

SHENZHEN SUN GLOBAL GLASS CO., LTD  
Address: #1, Qianghua Building, Shuangyuan Road, Shuangyuan, Shenzhen, Guangdong, China

Certificate No.: 1870420120000

**EC Declaration of CPD Conformity**

The following product has been tested by TüV Rheinland Laboratories Ltd. and the test results and found in conformity with the CE Marking Directive of 93/68/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

**Report No.:** 1870420120000

**Applicant:** SHENZHEN SUN GLOBAL GLASS CO., LTD  
#1 Qianghua Building, Shuangyuan Road, Shuangyuan, Shenzhen, Guangdong, China

**Manufacturer:** SHENZHEN SUN GLOBAL GLASS CO., LTD  
#1 Qianghua Building, Shuangyuan Road, Shuangyuan, Shenzhen, Guangdong, China

**Product:** TEMPERED GLASS

**Model No.:** SHENZHEN SUN GLOBAL GLASS CO., LTD  
**Trade Mark:** N/A  
**Test Standard:** EN 12150-2:2004

The relevant test results show that the product complies with the essential requirements in the above-mentioned product. It does not imply an assessment of the above producer and other relevant Directive have to be observed.

The certificate of conformity is based on a single evaluation of the submitted samples of the above-mentioned product. It does not imply an assessment of the above producer and other relevant Directive have to be observed.

© TüV Rheinland Laboratories Ltd. Postfach 1015, Heinsberg, 51624 Heinsberg, Germany  
Tel: +49 2452 9000-0 Fax: +49 2452 9000-100

**SGS TEST REPORT**

No. 1870420120000  
Page 1 of 1

Reference No.: 1870420120000  
Address: #1 Qianghua Building, Shuangyuan Road, Shuangyuan, Shenzhen, Guangdong, China

**Product:** Laminated Safety Glass  
**Model:** SHENZHEN SUN GLOBAL GLASS CO., LTD  
**Material:** SHENZHEN SUN GLOBAL GLASS CO., LTD  
**Test Method:** EN 12150-2:2004

  
Responsible Manager, SGS



**SGS TEST REPORT**

No. 1870420120000  
Page 1 of 1

Reference No.: 1870420120000  
Address: #1 Qianghua Building, Shuangyuan Road, Shuangyuan, Shenzhen, Guangdong, China

**Product:** Laminated Safety Glass  
**Model:** SHENZHEN SUN GLOBAL GLASS CO., LTD  
**Material:** SHENZHEN SUN GLOBAL GLASS CO., LTD  
**Test Method:** EN 12150-2:2004

  
Responsible Manager, SGS



**SGS TEST REPORT**

No. 1870420120000  
Page 1 of 1

Reference No.: 1870420120000  
Address: #1 Qianghua Building, Shuangyuan Road, Shuangyuan, Shenzhen, Guangdong, China

**Product:** Laminated Safety Glass  
**Model:** SHENZHEN SUN GLOBAL GLASS CO., LTD  
**Material:** SHENZHEN SUN GLOBAL GLASS CO., LTD  
**Test Method:** EN 12150-2:2004

  
Responsible Manager, SGS



Certificate No.: 1870420120000

**EC Declaration of CPD Conformity**

The following product has been tested by TüV Rheinland Laboratories Ltd. and the test results and found in conformity with the CE Marking Directive of 93/68/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

**Report No.:** 1870420120000

**Applicant:** SHENZHEN SUN GLOBAL GLASS CO., LTD  
#1 Qianghua Building, Shuangyuan Road, Shuangyuan, Shenzhen, Guangdong, China

**Manufacturer:** SHENZHEN SUN GLOBAL GLASS CO., LTD  
#1 Qianghua Building, Shuangyuan Road, Shuangyuan, Shenzhen, Guangdong, China

**Product:** TEMPERED GLASS

**Model No.:** SHENZHEN SUN GLOBAL GLASS CO., LTD  
**Trade Mark:** N/A  
**Test Standard:** EN 12150-2:2004

The relevant test results show that the product complies with the essential requirements in the above-mentioned product. It does not imply an assessment of the above producer and other relevant Directive have to be observed.

The certificate of conformity is based on a single evaluation of the submitted samples of the above-mentioned product. It does not imply an assessment of the above producer and other relevant Directive have to be observed.

© TüV Rheinland Laboratories Ltd. Postfach 1015, Heinsberg, 51624 Heinsberg, Germany  
Tel: +49 2452 9000-0 Fax: +49 2452 9000-100

**SGS TEST REPORT**

No. 1870420120000  
Page 1 of 1

Reference No.: 1870420120000  
Address: #1 Qianghua Building, Shuangyuan Road, Shuangyuan, Shenzhen, Guangdong, China

**Product:** Laminated Safety Glass  
**Model:** SHENZHEN SUN GLOBAL GLASS CO., LTD  
**Material:** SHENZHEN SUN GLOBAL GLASS CO., LTD  
**Test Method:** EN 12150-2:2004

  
Responsible Manager, SGS



Certificate No.: DP10GP14000

**DuPont Glass Laminating Solutions**

is pleased to confirm that the company:

**SHENZHEN SUN GLOBAL GLASS CO., Ltd**

has successfully passed the qualification process of SentryGlastm on May, 2014.

This certificate is valid until the date shown in the below table as long as your manufacturing process for laminated safety glass remains unchanged. Renewal is subject to validation of newly supplied laminates.

Date: 2014-05-29      By DuPont: 

VALIDITY	VALIDITY	VALIDITY	VALIDITY	VALIDITY	VALIDITY	VALIDITY	VALIDITY
2014.5.29	2014.8.8	2014.8.8	2014.8.8	2014.11.17	2014.8.8	2014.8.8	2014.8.8

In authorizing the certificate, DuPont Glass Laminating Solutions does not assume any liability for the responsibility of the respective manufacturer, which is the sole party responsible for the correctness of the product's conformity with applicable laws, regulations, orders and the certificate's issuing authority.

