

## **SZG-Glass Manufacturer-Building Glass-13.52MM Colored Gradient Tempered Laminated Glass**


**13.52mm colored gradient tempered laminated glass** is a type of safety glass, it's combined by two pieces of 6mm tempered glass inserted by 1.52mm PVB interlayer. After heating and high pressure in the high-pressure autoclave, the two pieces of glass panels are tightly glued together by the PVB film. 13.52mm gradient tempered laminated glass is widely used for interior decoration of hotel, company office, shop storefront as well as outdoor applications such as balcony railing, etc.

**Images of colored gradient laminated glass sample for reference:**









### **Advantages of SZG colored gradient tempered laminated glass:**

- 1.High Strength: 13.52mm gradient tempered laminated glass is 4-5 times harder than 13.52mm non-tempered laminated glass.
- 2.Security: The debris will still stick to the film and won't fall off when the gradient laminated glass panel is broken.
- 3.The color gradient tempered laminated glass can reduce the transmission of sunshine and ultraviolet light.
- 4.Jumbo sizes are available.



### **Applications of 13.52mm colored gradient toughened laminated glass:**

Because of its safety and artistry feature, colored gradient toughened laminated glass is popularly used for interior decoration such as hotel decoration, restaurant, company office partitions, shop storefront, etc.

Otherwise, colored gradient glass is also popularly used for railing, balustrade, balcony, handrail, etc.



**Other types of laminated glass you may be interested in:**

Clear laminated glass;

Colored laminated glass;


Curved laminated glass;

Printing laminated glass;



Wire mesh laminated glass;

Fabric laminated glass, etc..



**SZG production equipment:**



**Material Storage Area**



**Cutting Machine**



**Edgeworks**



**Drilling Machine**



**Washing Machine**



**Tempering Furnace**



**Merging Room**



**Autoclave**



**LED Lighting Detection**



**Packing & Loading**