

SZG-


Building Glass Manufacturer-6MM+6MM Light Green Tempered Laminated Glass

13.52mm light green tempered laminated glass is a kind of safety glass which is combined by one piece of [6mm clear tempered glass](#) sheet and another piece of [6mm light green tempered glass](#) sheet inserted by 1.52mm clear PVB inter layer. After heating and high pressure in the high-pressure autoclave, the two pieces of glass panels are tightly glued together by the PVB film. In fact, the combination can be customized. 13.52mm light green tempered laminated glass is also called 13.52mm french green tempered laminated glass, 13.52mm F-green toughened laminated glass, 6mm+6mm green tempered sandwich glass, etc..

Notice:

All processes such as drilling holes, polishing edge, rounding corners, cutouts, cutting notches, etc. must be finished before being tempered and then laminated.

Product images:



Application:

13.52mm green toughened laminated glass is popularly used as following applications because of its security and good decorative effect.

- 1.Curtain wall and facade.
- 2.Balustrade, railing, handrail, balcony.

3. Doors, windows.

4. Roof.

5. Staircase.

6. Table tops.



Specifications:

Product name: 13.52mm green toughened laminated glass


Combinations: 6mm clear tempered glass+ 1.52mm clear PVB+ 6mm light light green tempered glass;
6mm clear tempered glass+ 1.52mm light green PVB+6mm clear tempered glass, etc.

Other color laminated glass: Blue laminated glass, grey laminated glass, bronze laminated glass, ultra clear laminated glass, etc..

Maximum Size: 3M*12M

Available PVB colors: Euro grey, dark grey, light blue, dark blue, bronze, other customized colors.

Delivery: 7-15 days, urgent services are available.



Quality standards:

SZG - tempered laminated glass meets following standards:

1. Chinese Safety Glass Compulsory Certification (CCC) and ISO 9001.
2. BS 6206 certificate of UK safety glass standard.
3. European safety glass standard: EN EN 14449 certificate (CE).
4. USA laminated safety glass standard: SGCC certificate.

Production line:



S Z G

Professional glass manufacturer



Advantages of 13.52mm green toughened laminated glass:

- 1.Security: When the laminated glass panel is broken, the debris will still stick to the film and won't fall off.
- 2.High Strength: 13.52mm green tempered laminated glass is 4-5 times harder than non-tempered laminated glass.
- 3.The 13.52mm green laminated glass can block the sound transmission.
- 4.The 6mm+6mm french green laminated glass can reduce the transmission of sunshine.

Other types of laminated glass:

