

# **SZG 15mm frosted(acid etched) tempered glass-Meet CE and BS6206**

## **Certification**

15mm acid etched tempered glass is produced by [15mm acid etched glass](#), which is cut the raw glass into customized size, and then put them into tempering furnace. Heating to glass soften point of 700°C then cooled rapidly. Tempering puts the outer surfaces into compression and the interior into tension. 15mm acid etched toughened glass can be used for your 15mm acid etched tempered glass shower door and 15mm acid etched tempered glass partition.

## **Features:**

1. 15mm acid etched tempered glass is 4-5 times stronger than anneal 15mm acid etched glass.
2. Stronger resistance to thermal breakage than anneal glass or half tempered glass
3. Privacy protection

## **Specifications:**

1. Glass type: 15mm acid etched tempered glass
2. Other name: 15mm frosted toughened glass, 15mm acid etched toughened glass
3. Thickness range: 4mm 5mm 6mm 8mm 10mm 12mm 15mm 19mm
4. Size: customized size, (min size: 300\*300mm, max size: 3000\*12000mm)
5. Edge work: Polished edge, flat edge, chamfer edge, beveled edge, waved edge, OGEE edge, triple OG edge, and others.
6. When drilling holes, keep the holes diameter bigger than glass thickness
7. CNC cutting machine make an accurate size. Perfectly fit your accessories.

## **Applications:**

1. 15mm acid etched tempered glass can be used as 15mm acid etched tempered glass partition.
2. 15mm acid etched tempered glass can be used as 15mm acid etch tempered glass shower door

3.15mm acid etched tempered glass can be used as 15mm acid etch tempered glass table top

4.15mm acid etched tempered glass can be used as 15mm acid etch tempered glass railing and balustrade.

### **Quality:**

1. Conforms to the standards of Europe, North American and China: ISO, CCC, CE, BS6206, EN12510, ANSI Z97.


2. High strength and pure clean surface. Select 40% of high quality clear glass for tempering.

3. Excellent work on details: smooth edge polishing, drilling holes tolerance +/- 0.9mm

4. Strong exporter wooden package.

### **Product Details:**



**Product pictures of 15mm frosted tempered glass:**



**Holes and Cut outs:**



**Production Line:**



**Package and Loading:**

