


SGG 36mm anti slip laminated glass floor- building glass manufacturers

36mm anti slip laminated glass floor: the raw material of glass floor is three layers 12mm tempered laminated glass, with good stability and impact resistance, will not easy for broken like other normal quality glass. The 36mm anti slip laminated glass floor have very good light transmission and can enlarge the light of room and make room full with light.

Types of 36mm anti slip laminated glass floor:

There are two types of anti slip glass floor, one type is the real anti slip laminated glass floor, the other type is print small round point with the function of anti slip.

1. Anti slip glass floor



2. Silk screen glass floor with anti slip function



Specification:

Glass floor are normally produced by 3 layers laminated glass.

Thickness:6mm+6mm+6mm,8mm+8mm+8mm, 10mm+10mm+10mm,12mm+12mm+12mm etc

Glass Type: Clear tempered laminated glass, silk screen laminated glass, frosted laminated glass, anti slip laminated glass etc.

Advantages for using 36mm anti slip laminated glass floor

- 1.Cheap cost, the cost of glass floor is cheap compared with other material.
- 2.Environmental friendly: compared with wooden floor, the glass is environmental friendly, will not cause any harm for natural.
- 3.Easy for cleaning: the glass floor is easy for cleaning compared with other material, can use water for cleaning directly.

4. Anti corrosion and anti insects.

What's need to pay attention in Glass Floor installation?

1, laying the ground floor of the glass floor must be smooth and clean.

2, before the construction of the glass floor, the best is tiled glass on the ground for more than 24 hours, the construction site temperature is best around 15 °C, cut the glass at both ends more than 5cm left.

3, before paste, rolled up the floor about half of the reverse, and then start paste the glass from the middle of the floor scraping gum (using scraper with a tooth scraper) for laying.

Quality Control:

Sun Global Glass manufacture glass floor under ISO 9001 quality control and our glass floor comply with following standards:


1. 36mm anti slip laminated glass floor meet BS 6206 UK safety glass standard.
2. 36mm anti slip laminated glass floor meet EN 12543 CE European safety glass standard.
3. 36mm anti slip laminated glass floor meet Chinese Safety Glass Compulsory Certification (CCC)

Picture details of 36mm anti slip laminated glass floor:

Product image:



Production Line:





Package:



