

SZG 6mm+19a+6mm insulated blinds glass-Sound Insulation Glass & Heat Resistance Glass & Solar Energy Saving Glass & Privacy Protection-Best Building Glass Manufacturer and Factory in China

6mm+19a+6mm insulated blinds glass is to make blinds/louvre/louver inside [6mm+6mm insulated glass](#). The blinds insulated glass have features of insulated glass and louver, can proof heat, resist sound and protect privacy, with good light at same time.

Specification of insulated louvre glass:

Glass thickness: 5mm+5mm insulated louvre glass, 6mm+6mm insulated louvre glass, 8mm+8mm insulated louvre glass, 10mm+10mm insulated louvre glass etc

Spacer thickness: 19mm

Gas type: Air gas/Argon gas

Max size: 3300x12000mm, customized size based on clients' design.

Bicomponent (structural seal and PIB) for secondary sealant

Performance: U value ≥ 1.0 ; SC ≥ 2.0



S Z G

Professional glass manufacturer



Features of blinds insulated glass:

1. Good function of energy saving.
2. Good features of sound insulation.
3. By switch control, can have good light.
4. With louvre glass features, can protect human privacy.
5. As Blinds inside insulated glass, is not easy to be dirty, compared to normal blinds glass.
6. No noisy when pull louver, compared to normal louver glass.

最大化



S Z G

Professional glass manufacturer



Quality:

Our blinds insulated glass manufacture strictly follow international quality system ISO9001 and passes following quality standards:

1. 6mm+6mm louver insulated glass meet CCC standard(Chinese Safety Glass Compulsory Certification).
2. 6mm+6mm louver insulated glass meet China Insulated glass quality standard GB11944.
3. 6mm+6mm louver insulated glass meet meet European safety glass quality standard EN14449.
4. 6mm+6mm louver insulated glass meet American and Canada market safety glass quality standard SGCC.



Application:

Insulated louver glass belongs to high performance glass and very hot products in modern architecture.

1. Glass Window & Glass Door

1. Glass Partition or Glass Wall