

SZG Professional Glass Manufacturer- Building Glass- Clear Tempered Glass Shower Doors

8mm clear toughened glass shower door is made by [8mm clear tempered glass](#). 8mm clear toughened glass is 5 times stronger than 8mm annealed glass, it's a kind of safety glass. Because when it's broken, glass sheet will become small particles with blunt edges. So that it can reduce injury to people. Usually the popular thickness of the glass can be 8mm, 10mm, 12mm. There are many kinds of tempered glass usually used for bathroom, for example, transparent toughened glass, tempered [frosted glass](#), [tempered laminated glass](#), gradient tempered glass, etc..But the clear tempered glass and frosted tempered glass are the most popular.

Popular type of glass shower door:

1. Clear tempered glass shower door,
2. Frosted toughened glass shower door,
3. Laminated toughened glass shower door,
4. Gradient glass shower door,
5. Colored tempered glass shower door , etc.

Specifications:

Glass type: 8mm clear toughened glass shower door

Other name: 8mm clear toughened glass shower room, 8mm safety glass shower door, 8mm transparent tempered glass shower door, 8mm clear tempered glass door, 8mm colorless shower room glass, etc.

Thickness : 8mm, 10mm, 12mm, 15mm, 19mm

Size: Oversize, customized size (minimum: 300mm x300mm, maximum size: 3300x1000mm)

Glass processing: polished edge, round corner, drill holes, cut notches, cutout, etc.

Colors available: ultra clear, clear, green, blue, bronze, printed colors, frosted, etc.

Package: Packed with strong exportation wooden crates

Delivery: 7-15 days, urgent delivery service is available

Container: 20'OT, 20'GP, 40'HQ, etc.

Features:

- 1.High Strength: Compared to 8mm annealed glass shower door, 8mm clear toughened glass shower door is 5 times stronger.
- 2.High safety: 8mm tempered glass shower door can reduces the injury to people because it will become small cubic pieces when it's broken.It's safety glass.
- 3.Heat Stability: 8mm clear toughened glass for shower room can withstand a temperature range of 250°C to 320°C.
- 4.All processing such as polishing edge, rounding corner, drilling holes, cutout, cutting notches, etc. must be finished before being tempered.

Quality Control:

As tempered glass is widely used in modern building, It is very important to control the quality of office

glass partition. The toughened glass from Sun Global Glass is up to following standards:

1. Toughened glass partition meets BS 6206 UK safety glass standard.
2. Tempered glass wall meets EN 12150 CE European safety glass standard.
3. Safety glass partition meets Chinese Safety Glass Compulsory Certification (CCC) and ISO 9001.

Product picture:



Production line:



Safety package of 8mm toughened glass shower door:



