13.14 Bronze toughened laminated glass, 662 bronze toughened laminated glass

Tempered laminated glass can be produced by two sheet tempered glass and bonded with PVB interlayer. It is a kind of high security laminated glass, which have a perfect performance in impact resistance, sound proof, energy saving and highly safety.

Bronze **13.14 mm laminated toughened glass** can be produced by 6mm clear tempered glass+1.14mm bronze PVB +6mm clear tempered glass or 6mm bronze tempered glass+1.14mm clear PVB +6mm bronze tempered glass.

The features of 13.14 bronze toughened laminated glass

1.High Safety: Not only keep the performance of tempered glass, but also laminated glass. Glass breakage not sharp and do not harm to human body. Furthermore, PVB will bond the breakage together. It will not fall down.

2.Sound proof: PVB interlayer can dump the sound to a certain degree,

3.Hurricane-proof: Interlayer replace with SGP , it can be hurricane-proof perfectly. SGP interlayer has super strong impact resistance.

4.UV Rays: laminated glass has a perfect performance in UV resistance, it can be attach reached 90. Indoor furniture can be avoided fading.

5.Anti Light Pollution: It can be reduced the transmission of the light of the Sun. So it will has a nice performance in light pollution.

Specification:

Glass type: 13.14 bronze tempered laminated glass

Composition: 6 mm clear tempered glass+1.14mm bronze PVB +6mm clear tempered glass+8mm clear tempered glass or 6mm bronze tempered glass+1.14 clear pvb +6mm bronze tempered glass

Other PVB thickness: 0.76mm, 1.52mm, 1.9mm

Single glass thickness: 8mm bronze tempered glass

Glass Size: Maximum 3300 mm Minimum 300mm

Application:

- 1.glass window
- 2.glass door
- 3.glass facade
- 4.glass curtain wall

Picture details of 13.14mm bronze toughened laminated glass:

Product image:





Breakage of toughened laminated glass:



Production Line:



Package:

