

SGG 10 [unclear] - [unclear]

[unclear] [unclear] [unclear] 700 [unclear] which [unclear]
[unclear] 4-5 [unclear]

[unclear]

[unclear]:

- 1. [unclear]: [unclear] 4-5 [unclear]
- 2. [unclear]: [unclear]
- 3. [unclear]: [unclear] e [unclear]
- 4. [unclear] [unclear]

[unclear]:

- 1. [unclear] 10 mm [unclear] %32 [unclear]
- 2. [unclear] 10 mm [unclear]
- 3. [unclear] 10 mm [unclear]

[unclear]:

[unclear]

- 1. [unclear]: [unclear] E [unclear]
- 2. [unclear]: 4 mm 5 mm 6 mm 8 mm 10 mm 12 mm 15 mm 19 mm
- 3. [unclear]: 300x300mm [unclear] 8000 mm
- 4. [unclear]: [unclear] OG [unclear]
- 5. [unclear] [unclear] dismater [unclear]
- 6. [unclear] [unclear]
- 7. [unclear]: [unclear]

[unclear]:

1. 认证标准: ISO 9001, CE, BS6206, EN12510, ANSI Z97.1


2. 透光率: 40%


3. 厚度: $\pm 0.9 \text{ mm}$

4. 其他

规格:

10 mm






□□□□□□□□:



□□□□□□:





□□□□□□□□□□:



□□□□□□□□□□:

