

12mm u... 12mm u... 12mm esg vsg

SZG... 12 mm... B u... u rer

u... ABS6 reob... u re... yo u... opaq u e... se

u res... 8mm... 10mm... 12mm... 15mm

O u r 12mm... f u... u sed

u... u

Al u mini u m... c u stomer req u est

12mm

Table with 2 columns: Description and Value. Rows include 12mm, C u rved, 8mm-17.52mm, and 10-15.

1. 12mm C u rved

-

-r ig ht



2. 12mm

-



3. 12mm 钢化玻璃 / 钢化玻璃

-roller des ig n 钢化玻璃



4. 玻璃/玻璃门厚度12MM 玻璃门u 玻璃门

- 玻璃门u res 玻璃门u t-of-sq u 玻璃门

-12mm 玻璃门r ig ht 玻璃门u t 玻璃门



5. 12mm 钢化玻璃 / 1000mm u res 1000mm



玻璃厚度**12MM**，五金配件**F** 系列

玻璃门采用钢化玻璃，安全耐用，u 型密封条，u 型密封条

玻璃门采用钢化玻璃，安全耐用，u 型密封条

玻璃门采用钢化玻璃，安全耐用，u 型密封条，u 型密封条

L 系列玻璃门，玻璃厚度**12 mm**，五金配件**AY06** 系列





Shenzhen Sun Global Glass





Q u

SZG u ced

1. Isory CCC ISO 9001
2. U K BS 6206
3. E u EN 12150 CE
4. SGCC

u





□□□□□□□□□□□□□□□□





