

12mm...u...12mm...
12mm esg vsq

SZG...12 mm...B u...u rer

u...f u...ABS6 reob...u reyo u... opaq u e...
u se

... res...8mm...10mm...12mm...15mm

O u r 12mm...f u...u sed

u...u

Al u mini u m...c u stomer req u est

12mm

u	
	12mm...+...u m.../...
	C u rved.../.../...
	.../ u ltra.../...
	.../ u ghed...
	8mm...10mm...12mm... 9.14mm...13.14mm...20.14mm...17.52mm...21.52mm...
	10-15

1. 12mm...C u rved

-...

-...r ig ht...



2. 12mm

-



3. 12mm

-roller des ig n



4. 玻璃/玻璃门厚度12MM 玻璃门u 玻璃门

- 玻璃门u res 玻璃门u t-of-sq u 玻璃门

-12mm 玻璃门r ig ht 玻璃门u t 玻璃门



5. 12mm 钢化玻璃 / 1000mm x 2000mm u res 钢化玻璃



玻璃厚度**12MM**，五金配件**F u**


玻璃门采用钢化玻璃，u型密封条，u型密封条

玻璃门采用钢化玻璃，u型密封条

玻璃门采用钢化玻璃，u型密封条，u型密封条

Layo u t玻璃厚度**12 mm**，五金配件**AY06 r**，u型密封条

SHOWER DOORS & SHOWER FRAMES BY TYPE



Sliding Shower Doors



Pivot Shower Doors



Hinged Shower Doors



Fixed Shower Doors



Framed Shower Doors



Semi-Framed Shower Doors



Frameless Shower Doors

12MM

u j u st u r / doors

B u t PVB

12 MM

u r / ltra u se /





Shenzhen Sun Global Glass






Q u

SZG u ced

1. u Isory CCC ISO 9001
2. U K BS 6206
3. E u EN 12150 CE
4. SGCC

u





□□□□□□□□□□□□□□□□





