

SGG 6mm + 12mm + 6mm low e - & &

[6mm low e](#) [6mm](#) IGU ()

: 5mm + 5mm 6mm + 6mm 8mm + 8mm 10mm + 10mm

: 6a 9a 12a 15a 20a

:

: 200x200mm

: 3300x12000mm

(PIB)

(mm):

$L/W < 1000 \pm 2.0$

$1000 \leq L/W < 2000 + 2, -3$


$L/W \geq 2000 \pm 3.0$


(mm):

$T < 17 \pm 1.0$

$17 \leq T < 22 \pm 1.5$

$T > 22 \pm 2.0$







low e □□□□□□□□:

SGG ONLINE LOW-E IGU GLASS DATA										
Single 2 #	Thickness	可见光Visible Light			阳光Solar Energy			U值	太阳得热系数	遮阳系数
		LT%	LR%		投射率 %	反射率 %	UV透射率%			
			Transmittance	Outside						
Monolithic	mm	Transmittance	Outside	Inside	Transmittance	Reflectance	TUV	U Value	SHGC	SC
Clear glass +12mm spacer + SGG LOW-E GLASS Same Thickness, 2#	3	75	17	18	59	15	45	1.9	0.65	0.75
	4	74	16	17	56	14	42	1.9	0.63	0.73
	5	74	17	17	55	14	41	1.9	0.63	0.73
	6	73	16	17	52	13	37	1.8	0.62	0.71
	8	71	15	16	47	12	32	1.8	0.58	0.67
	10	69	15	16	43	12	29	1.8	0.56	0.64
	12	68	15	16	39	10	28	1.9	0.54	0.62

□□□□:



□□□□□□□□:





□□□□□□□□□□□□□□□□□□□□ **6mm + 12a + 6mm low e** □□□□ □□□□□□□□□□□□□□□□□□□□