SZG□□□□□□□□□□□□□□□□□□□ - EU□□25.52mm□□□□□□□□□□

25.52mm□□□□□□□□□□□□□12mm□□□□□□□□□□□□□□□□□□□2□□□□□□□□□□□□□□□□□□□□□□□□□□1.52mm□PVB□□□□□□1□□
□□□□□□□□□□□□□□□□□□□□□□□□□2□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□



□□□

1.Safety□□□25.52□□□
□□□

2.[illegible]5[illegible]

3.[illegible]3[illegible]300[illegible]

4.Sound[illegible]

5.UV[illegible]

6.[illegible]

□□□

□□□□□□□9.52mm□□□□□□□□□11.52mm□□□□□□□□□13.52mm□□□□□□□□□17.52mm□□□□□□□□□21.52mm□□□□□□□
□□31.52mm□□□□□□□□□39.52mm□□□□□□□□□□

□□□□□□□□□□□□□□□□3.3m * 12m

1.R≧480mm□□□□□≦1500mm□□□≦2400mm

2. R≧6000mm□□□≦3300□□□≦12000

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□Pantone□□□□□□□□□□□□□

S Z G
Professional glass manufacturer

S Z G
Professional glass manufacturer

S Z G
Professional glass manufacturer

S Z G
Professional glass manufacturer

[illegible]

[illegible]

1.[illegible]

[illegible]

3.[illegible]/[illegible]/[illegible]

4.[illegible]

[illegible]

6.□□□□□□□□□□

7.□□□□□□□□□□□□□

□□□

1. 25.52mm□□□□□□□□□□□□□□BS 6206□□□□□□□□□□□□□□□□□□□□□□□□

2. 25.52mm□□□□□□□□□□□□EN 12150 CE□□□□□□□□□□□□□□□□□□□□□□□□□□

3. 25.52mm□□□□□□□□□□□□□□□□□□□□□□□□□□□□□CCC□

4. 25.52mm□□□□□□□□□□□□□EN 14449□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□300℃□□□□□□□□□□□□□□□□□□□□

Verification of Conformity
QUALITY MANAGEMENT SYSTEM
CERTIFICATE
Shenzhen Sun Global Glass Co., Ltd
ISO 9001:2015
DECLARATION OF CONFORMITY
EC Declaration of CPD Conformity
S Z G
Professional glass manufacturer

SGS
TEST REPORT
S Z G
Professional glass manufacturer

DECLARATION OF CONFORMITY
EC Declaration of CPD Conformity
SGS
TEST REPORT
SentryGlas
DuPont Glass Laminating Solutions
SHENZHEN SUN GLOBAL GLASS CO., Ltd
S Z G
Professional glass manufacturer