
П	ПΓ	Π	٦٢	1	Π		7	3.2	'n	٦r	n	П	П	Г	П	Γ	I	
---	----	-------	----	---	-------	--	---	-----	----	----	---	---	---	---	---	----------	---	--



3300mm * 13000mm[3300mm * 5500mm[3300mm * 6000mm[33000mm * 7000mm[]]]]]]]]]]]]]]]]-szg-w
000000003.2 mm
1: 3.2 mm
2. [: 2000 * 3300mm 2140mm * 3660mm 2220mm * 1650mm 2400mm * 1650mm 2650mm * 1830mm 2700mm * 1950mm 2700mm * 1350
3. 0000: 0000000000000
4. □: □□ A
1.3.2 mm
2.3.2 mm 3.2 mm
3.3.2 mm

SZG Clear Float Glass Parameter

NO	Product Name	Visible Infrared Transmittance	Visible Light Transmittance	Visible Reflectivity	Solar Energy Transmittanc e	Solar Energy Reflectivity	Total Solar energy transmittance	
1	2mm clear float glass	84.15	90.69	7.45	87.55	7.9	88.93	
2	2.5mm clear float glass	82.31	90.47	7.45	87.20	7.8	87.22	
3	2.8mm clear float glass	81.22	90.34	7.26	86.91	7.7	86.14	
4	3mm clear float glass	80.51	90.30	7.26	86.56	7.7	85.09	
5	3.2mm clear float glass	79.8	90.27	7.26	85.01	7.7	84.67	
6	4mm clear float glass	277.03	90.17	7.50	85.46	7.6	83.04	
7	5mm clear float glass	73,71	89.83	7.05	83.96	7.4	81.07	
8	6mm clear float glass	70.54	89.34	7.36	82.73	7.3	79.17	
9	8mm clear float glass	66.14	88.64	7.11	79.66	7.1	76.51	
10	10mm clear float glass	56.19	87.52	7.09	76.67	6.9	73.61	
11	12mm clear float glass	61.59	87.27	6.73	75.06	6.6	70.98	
12	15mm clear float glass	51.59	86.30	7.58	71.81	6.42	69.53	
13	19mm clear float glass	47.91	84.99	1	67.93	1	1	









