

□□□□ □□□□□□□□□□□□□□□□□□: ISO□CCC□CE□BS6206□EN12510□ANSI Z97□

□□□□:

□□□□□□□□ e □□□ 6 mm + 6 mm □□□□□□



□□□□ e □□□□□□□□

SGG ONLINE LOW-E IGU GLASS DATA										
Single 2 #	Thickness	可见光Visible Light			阳光Solar Energy			U值	太阳得热系数	遮阳系数
		LT%	LR%		投射率 %	反射率 %	UV透射率%			
	Transmittance		Outside	Inside				Transmittance	Reflectance	TUV
Monolithic	mm	Transmittance	Outside	Inside	Transmittance	Reflectance	TUV	U Value	SHGC	SC
Clear glass +12mm spacer + SGG LOW-E GLASS Same Thickness, 2#	3	75	17	18	59	15	45	1.9	0.65	0.75
	4	74	16	17	56	14	42	1.9	0.63	0.73
	5	74	17	17	55	14	41	1.9	0.63	0.73
	6	73	16	17	52	13	37	1.8	0.62	0.71
	8	71	15	16	47	12	32	1.8	0.58	0.67
	10	69	15	16	43	12	29	1.8	0.56	0.64
	12	68	15	16	39	10	28	1.9	0.54	0.62

□□□□□:



□□□□□□□□□□:



□□□□□□□□□□:

Philippines
Avida Centera
in 2014



Philippines
AVIDA TOWERS
in 2015



□□□□□□□□□□ e □□□□□□□□ 6 mm □□□□□□□□□□□□□□□□□□□□□□□□ +6 mm □□□□