

## SGG 6 mm 6 mm & 6 mm

SGG 6 mm 6 mm & 6 mm 45% (SHGC) (VT) U-

1:

1 80% & ;

2

3

4

5

6

7

### 6 mm

1. 6 mm

2. 6 mm

3. 6 mm

1:


1. 4 mm 5 mm 5.5 mm 6 mm 8 mm 10 mm 12 mm

2. : 6 mm

3. : 2140 x 3300

: 1650 x 2140 1830 x 2440 2250 x 3300







□□□□□□ □□ 6 mm □□□:

| Item         | Thickness | Visible Light Transmittance | Visible Light Reflectance | UV Light Transmittance | Direct Sunlight Transmittance | Direct Sunlight Reflectance | Total Solar Transmittance | Shdowing Coffecient (SC) | SHGC  | K Value (Summer Daytime) | K Value (Winter Night) |
|--------------|-----------|-----------------------------|---------------------------|------------------------|-------------------------------|-----------------------------|---------------------------|--------------------------|-------|--------------------------|------------------------|
| Euro Bronze  | 5 mm      | 51.94%                      | 6.44%                     | 14.52%                 | 51.78%                        | 6.69%                       | 62.50%                    | 0.70                     | 0.84  | 0.640                    | 5.272                  |
|              | 6 mm      | 47.15%                      | 6.73%                     | 11.83%                 | 46.87%                        | 6.79%                       | 58.83%                    | 0.66                     | 0.83  | 0.606                    | 5.243                  |
| Euro Grey    | 5 mm      | 51.66%                      | 6.36%                     | 20.29%                 | 49.19%                        | 6.48%                       | 60.63%                    | 0.68                     | 0.84  | 0.623                    | 5.272                  |
|              | 6 mm      | 45.24%                      | 6.06%                     | 16.47%                 | 42.98%                        | 6.15%                       | 56.11%                    | 0.63                     | 0.84  | 0.582                    | 5.243                  |
| Dark Grey    | 5 mm      | 47.90%                      | 6.77%                     | 19.87%                 | 46.96%                        | 6.75%                       | 58.91%                    | 0.66                     | 0.84  | 0.606                    | 5.272                  |
|              | 6 mm      | 41.96%                      | 6.59%                     | 16.54%                 | 41.37%                        | 6.53%                       | 54.82%                    | 0.62                     | 0.83  | 0.569                    | 5.243                  |
| Light Blue   | 5 mm      | 71.07%                      | 7.78%                     | 26.60%                 | 53.99%                        | 6.94%                       | 64.07%                    | 0.72                     | 0.654 | 5.272                    | 5.843                  |
|              | 6 mm      | 67.74%                      | 7.69%                     | 24.13%                 | 50.67%                        | 6.96%                       | 61.61%                    | 0.69                     | 0.632 | 5.243                    | 5.808                  |
| French Green | 5 mm      | 74.86%                      | 8.03%                     | 24.54%                 | 48.75%                        | 6.67%                       | 60.26%                    | 0.68                     | 0.619 | 5.272                    | 5.843                  |
|              | 6 mm      | 71.36%                      | 7.66%                     | 20.22%                 | 43.72%                        | 6.35%                       | 56.60%                    | 0.64                     | 0.586 | 5.243                    | 5.808                  |

□□□□□:



□□□□□□□□□□:





□□□□□□□□□□□□□□□□ □□ **6 mm** □□□□□□□□□□□□□□□□□□□□