

**SGG 13.14 mm** [unclear] [unclear] [unclear]

**13.14 mm** [unclear] [unclear] [unclear] 10 mm. [unclear] PVB 1.52 [unclear] 2 [unclear] PVB [unclear] SGP [unclear] SGP **13.14 m** [unclear] [unclear] (pantone [unclear]) [unclear]

[unclear]:

**1.** [unclear]: 13.14 [unclear] glass.tempered lamianted [unclear] bon [unclear]

**2.** [unclear]: SGP [unclear] PVB [unclear] 32-35 [unclear]

**3** [unclear]: [unclear] UV rays.so [unclear]

**4** [unclear]e: [unclear] [unclear]

**5.** [unclear]: [unclear]

**6.** [unclear]: [unclear]

[unclear]:

- 1 [unclear]
- 2. [unclear]
- 3. [unclear]
- 4 [unclear]
- 5 [unclear]
- 6 [unclear]
- 7 [unclear]
- 8 [unclear]
- 9. [unclear]
- 10. [unclear].

**13.14 mm** [unclear]

1.13.14mm [unclear] packaged [unclear].

[unclear] 2.13.14mm temepred [unclear]

3.13.14Tempered [unclear] installation.otherwise [unclear]

[unclear]:

- [unclear]: [unclear] 8000 mm
- [unclear]: 65 mm [unclear] 4 mm
- [unclear]: [unclear]



□□□□□□□□:



annealed glass



tempered glass



tempered laminated glass

□□□□:





□□□□:





□□□□□□□□:  
8,76 mm □□□□□□□□  
13,52 mm □□□□□□□□  
17,52 mm □□□□□□□□