SGG [illegible]

[illegible] [illegible] 3 [illegible] 0.76 mm [illegible] PVB [illegible] SGP [illegible] 2 [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] vaskywalk [illegible]

[illegible]:

1. [illegible]: [illegible] [illegible] [illegible]

2. [illegible]: PVB [illegible] SGP [illegible] [illegible]

3. [illegible] [illegible] 99% [illegible]

4. [illegible]e: [illegible]

5. [illegible]: [illegible] transmissisn [illegible] low-e glass [illegible]

6. [illegible]: [illegible] [illegible] [illegible] [illegible]

[illegible]:

1. [illegible]
2. [illegible]
3. [illegible] [illegible]
4. [illegible]
5. [illegible] [illegible]
6. [illegible]
7 [illegible]
8. [illegible] [illegible].

[illegible]:

[illegible]: 12 [illegible]
[illegible]: 12 [illegible] 65 mm [illegible]
[illegible]: [illegible] ([illegible])

[illegible]:

[illegible] [illegible] [illegible]

[illegible]:

1. [illegible] ISO [illegible] GB15763.3
2. [illegible] EN12543[illegible]E12510
3 [illegible] ANSI Z97.1

[illegible]

[illegible]:

□□□□□□□□□□□□:

annealed glass

tempered glass

tempered laminated glass

□□□□□:

□□□□□:

□□□□□□□□□□:
8.76 mm □□□□□□□□
17.52 mm □□□□□
13.52 mm □□□□□□□□
21.52 mm □□□□□□□□