

## **SZG-Professional glass manufacturer- Glass for construction-Shower door glass-10mm clear tempered Glass**

**10mm clear tempered glass shower door** is made by [10mm clear toughened glass](#) which is a kind of safety glass. It will become small particles with blunt edges when it's broken and reduce harm to people. Because of its security, it's widely used in the modern building. What's more, The 10mm clear tempered glass is about 5 times stronger than ordinary 10mm clear glass. Most of the glass shower doors are made by toughened glass. Clear tempered glass and [acid etched tempered glass](#) are the most popular types of glass to make as shower door.

### **Popular type of glass shower door:**

1. Clear tempered glass shower door,
2. Tinted toughened glass shower door,
3. Acid etched toughened glass shower door,
4. Toughened sandwich glass shower door,
5. Silk screen printed tempered glass shower door, etc.

### **Specifications:**

Glass type: 10mm clear tempered glass shower door

Other name: 10mm clear toughened glass shower door, 10mm tempered safety glass shower door, 10mm crystal toughened glass shower door, 10mm clear tempered glass shower room, 10mm transparent shower glass door, etc.

Popular thickness of glass: 8mm glass shower door, 8.76mm glass shower door, 10mm glass shower door, 12mm glass shower door, etc.

Size: customized size (minimum: 300mm x300mm, maximum size: 3300x12000mm)

Deep processing: polished edge, drill holes, cutout, cut notches, round corner, etc.

Colors of glass available: clear glass, ultra clear glass, green glass, blue glass, bronze glass, grey glass, printed colors, frosted, etc.

Delivery: 7-15 days, urgent delivery service is available

### **Features:**

1. Security: 10mm toughened glass is a kind of safety glass, it will become small cubic pieces when it's broken, so that it can reduce harm to people. Thus, the 10mm toughened glass shower door is safe.
2. High strength: 10mm toughened glass is about 5 times stronger than 10mm non-tempered glass.
3. All processing such as polishing edge, rounding corner, drilling holes, cutout, cutting notches, etc. must be finished before being tempered.
4. Heat stability: 10mm toughened shower door glass can withstand a temperature range of 250°C to 320°C.

### **Quality Control:**

Nowadays, tempered glass is widely used in building, It is very important to control the quality of glass door. The tempered glass produced by Sun Global Glass meets following standards:

1. BS 6206 UK safety glass standard.
2. EN 12150 CE European safety glass standard.
3. Chinese Safety Glass Compulsory Certification (CCC) and ISO 9001.

**Glass details:**



**Production line:**



**Packing & Loading:**



