



SZG-Glass Manufacturer-Building Glass-11.14MM Safety Toughened Laminated Glass Railing

11.14mm clear tempered laminated glass balustrade is made of [11.14mm clear tempered laminated glass](#). The 11.14mm tempered laminated glass is a kind of safety glass which is combined by two pieces of [5mm clear tempered glass](#). It can efficiently reduce people injury from glass breakage, because when the glass broken, the debris still stick to the film and won't fall off., the whole glass panel is still in complete shape to offer protection before replacement. Because of its security, it's widely used in the modern building.

Images of 11.14mm clear tempered laminated glass railing:



**Notice:**

All processes such as drilling holes, polishing edge, rounding corners, cutouts, cutting notches, etc. must be finished before being tempered and then laminated.

Advantages of SZG 11.14mm toughened laminated glass balustrade:

- 1.Safety : When the laminated glass railing is broken, the debris still stick to the film and won't fall off, the whole glass is still in complete shape to offer protection before replacement, so that it can reduce injury.
- 2.High strength: 11.14mm tempered laminated glass balustrade is about 5 times harder than normal laminated glass balustrade.
- 3.High transparency: You can see the view clearly through 11.14mm clear tempered laminated glass

railing.

4. Various colors for choice, the color of PVB can be customized.

Production - SZG glass factory:



S Z G

Professional glass manufacturer



Specifications:

Glass type: 11.14mm clear tempered laminated glass

Popular thickness of railing glass: 8mm, 10mm, 12mm, 8.76mm, 11.14mm, 17.52mm, 21.52mm, etc.

Composition: 5mm toughened glass + 1.14mm PVB or SGP or EVA film + 5mm toughened glass

Shape: Flat or curved shape


Size: customized size

Deep processing: polished edge, drill holes, cutout, cut notches, round corner, etc.

Other colors available: Blue laminated glass, grey laminated glass, bronze laminated glass, etc..

Delivery: 7-15 days, urgent services are available

Other applications of 11.14mm clear tempered laminated glass:



Quality standards:

SZG - tempered laminated glass are produced strictly in accordance with the requirements of the ISO 9001 quality management system certification and meets the following quality standards.

1. Chinese Safety Glass standard (CCC).
2. BS 6206 certificate of UK safety glass standard.
3. USA laminated safety glass standard: SGCC certificate.
4. European safety glass standard: EN EN 14449 certificate (CE).

Safety Packing & Loading:



S Z G
Professional glass manufacturer