
SZG-Glass Manufacturer-Building Glass-52.56mm Low Iron Anti-slip Tempered Laminated Glass

52.56mm low iron tempered laminated anti-slip glass is manufactured in the same way of tempered laminated glass. It's combined with 12mm ultra clear tempered glass+1.52 SGP interlayer+12mm ultra clear tempered glass+1.52 SGP interlayer+12mm ultra clear tempered glass+1.52 SGP interlayer+12mm ultra clear anti-slip glass. After heating and high pressure in the high-pressure autoclave, the glass panels will be tightly glued together by the SGP film. The 52.56mm anti-slip tempered and laminated glass can withstand strong impact.

Images of 12mm+1.52 SGP+12mm+1.52 SGP+12mm non slip tempered laminated glass:







Specifications:

Product description: 52.56mm low iron anti-slip toughened laminated glass

Other descriptions: Anti-slip glass, non slip glass, antiskid glass.

Combinations: 12mm low iron tempered glass+1.52 Sentry Interlayer+12mm low iron tempered glass+1.52 Sentry Interlayer+12mm low iron tempered glass+1.52 Sentry Interlayer+12mm low iron tempered anti-slip glass.

Size: Customized sizes, (jumbo size included.)

Delivery time: 10-15 days, urgent services are available.

Advantages of low iron tempered laminated anti-slip glass:

- 1.Security: The tempered laminated anti-slip glass has same safety effects of normal laminated tempered glass, The debris will still stick to the film and won't fall off when the laminated glass panel is broken.
- 2.High Strength: 12+12+12+12mm tempered laminated glass has same high strength as tempered glass. It's 4-5 times harder than 12+12+12+12mm non-tempered laminated glass.
- 3.Artistic effects: The low iron antiskid glass flooring and staircases can improve the artistic and beautiful sense of decoration.

Production equipments:



Quality standards:

The low iron tempered laminated antiskid glass produced by Shenzhen Sun Global Glass CO., LTD is strictly in accordance with the requirements of the ISO 9001 quality management system certification and meets the following quality standards.

- 1. Chinese Safety Glass standard (CCC).
- 2. European safety glass standard: EN EN 14449 certificate (CE).
- 3. USA laminated safety glass standard: SGCC certificate.


Applications of 56.56mm anti-slip low iron toughened laminated glass:



2.Staircase, stairs treads.

3.Glass bridge.





Packing and loading:

