

SZG-Glass manufacturer-Building glass-13.52mm Euro grey tempered laminated glass

13.52mm Euro grey tempered laminated glass is a kind of safety glass which is combined by one piece of 6mm clear tempered glass sheet and another piece of [6mm Euro grey tempered glass](#) sheet inserted by 1.52mm clear PVB interlayer. After heating and high pressure in the high-pressure autoclave, the two pieces of glass panels are tightly glued together by the PVB film. In fact, the combination of laminated glass can be customized. 13.52mm Euro grey tempered laminated glass is also called 13.52mm light grey tempered laminated glass, 13.52mm light gray toughened laminated glass, 6mm+6mm gray tempered sandwich glass, etc..

Product images:







Advantages of 13.52mm gray toughened laminated glass:

- 1.Security: When the laminated glass panel is broken, the debris will still stick to the film and won't fall off.
- 2.High Strength: 13.52mm tempered laminated glass is 4-5 times harder than non-tempered laminated glass.
- 3.The 6mm+6mm Euro grey tempered laminated glass can reduce the transmission of sunshine.
- 4.Good decorative effects.

Notice:

All processes such as drilling holes, polishing edge, rounding corners, cutouts, cutting notches, etc. must be finished before being tempered and then laminated.

**Specifications:**

Product name: 13.52mm Euro grey tempered laminated glass

Combinations: 6mm clear tempered glass+ 1.52mm clear PVB+ 6mm Euro grey tempered glass; 6mm clear tempered glass+ 1.52mm light grey PVB+6mm clear tempered glass, etc.

Maximum Size: 3M*12M

Available PVB colors: Green, dark grey, light blue, dark blue, bronze, other customized colors.

Delivery: 7-15 days, urgent services are available.

Production equipments:



Quality standards:

SZG - tempered laminated glass meets following standards:

1. Chinese Safety Glass Compulsory Certification (CCC) and ISO 9001.
2. BS 6206 certificate of UK safety glass standard.
3. European safety glass standard: EN 14449 certificate (CE).
4. USA laminated safety glass standard: SGCC certificate.

Application:

13.52mm Euro grey toughened laminated glass is popularly used as following applications because of its security and good decorative effect.

- 1.Facades & Curtain wall.
- 2.Balustrade, railing, handrail, balcony.
- 3.Doors, windows.
- 4.Staircase.

