




SZG 13.52mm tempered glass for Roofing glass - best roofing glass factory and manufacturer in China

13.52mm tempered laminated glass for Roofing glass is to use [13.52mm laminated glass](#) for this type of glass. Glass roof constructions and rooflights make house and buildings bright, energy efficient, solar control etc. It allows the largest possible amount of natural light to enter into house.













Specification:

Glass type: tempered glass, laminated glass, insulated glass etc

Thickness: 9.52mm laminated glass roofing, 11.52mm laminated glass roofing, 13.52mm laminated glass roofing, 17.52mm laminated glass roofing, 21.52mm laminated glass roofing, 25.52mm laminated glass roofing etc

Size: customized size based on client's drawing



Types of glass use for roof:

Toughened glass


Toughened glass is a kind of safety glass, can use as roof glass.

Laminated glass

laminated glass use widely as roof, due to its features. It will not fall down after broken, and a good choice for glass roofing.



Insulated glass

Insulated glass or insulated glass with laminated design. Insulated glass have good control of solar energy, it is a good choice for roof glass, especially in hot area.







Features:

1. Tempered laminated glass belongs to most safety glass in China. The roof glass will not fall down after broken.
2. Laminated roof glass can stop sound transmission at some degree due to film effect.
3. Laminated roof glass can reduce the penetration of UV rays and protect indoor objects from UV rays radiation.
4. If laminated roof glass compose by one layer of energy saving glass, it has good effect of energy saving effect.



Inspection:

Our factory take careful inspection before delivery, see as below:



Quality Control:

All our glass are produced under ISO9001 quality system. Our roof glass pass below domestic and international standards:

1. 13.52mm tempered glass for Roofing glass meet Chinese Safety Glass Compulsory Certification (CCC).
2. 13.52mm tempered glass for Roofing glass meet China Construction Glass Standard GB9962.
3. 13.52mm tempered glass for Roofing glass meet European quality standard CE EN14449 certificate.
4. 13.52mm tempered glass for Roofing glass meet American quality standard SGCC ANSI Z97 certificate.

