

SZG-Glass Manufacturer-Building Glass-17.52mm Green Tempered Laminated Glass

17.52mm french green tempered laminated glass is also called light green toughened laminated glass, F-green tempered laminated glass, 8+8mm green laminated safety glass, light green ESG VSG. It's combined by two pieces of 8mm french green tempered glass (or one piece of 8mm F- green tempered glass and another piece of 8mm clear tempered glass) inserted by 1.52mm PVB interlayer. After heating and high pressure in the high-pressure autoclave, the two pieces of glass panels are tightly glued together by the PVB film. 17.52mm green tempered laminated glass is a type of safety glass which is popularly used in modern buildings.

Images of 17.52mm green toughened laminated glass:



S Z G

Professional glass manufacturer



S Z G

Professional glass manufacturer



S Z G

Professional glass manufacturer



Notice:

All processes such as drilling holes, polishing edge, rounding corners, cutouts, cutting notches, etc. must be finished before being tempered and then laminated.

Advantages of 8+8mm green tempered laminated glass:

1. High Strength: 17.52mm tempered laminated glass is 4-5 times harder than 17.52mm non-tempered laminated glass.
2. Security: The debris will still stick to the film and won't fall off when the laminated glass panel is broken.
3. 17.52mm French green toughened laminated glass The green laminated glass can block parts of the ultraviolet light.
4. 17.52mm tempered laminated glass can reduce sound transmission.

Specifications:

Product name: 17.52mm French green toughened laminated glass

Combinations: 8mm F green tempered glass+ 1.52mm PVB+ 8mm clear tempered glass

Available colors: Light blue, dark blue, Euro grey, dark grey, bronze, other customized colors.

Maximum Size: 3.3M*12M

Packing: New plywood crates for exportation.

Delivery: 7-15 days, urgent services are available.

Production Equipment:



Quality standards:

The 17.52mm green tempered laminated glass produced by Shenzhen Sun Global Glass CO., Limited is strictly in accordance with the requirements of the ISO 9001 quality management system certification and meets the following quality standards.

1. Chinese Safety Glass standard (CCC).
2. BS 6206 certificate of UK safety glass standards.
3. EN 14449 certificate (CE) of European safety glass standards;
4. SGCC certificate of USA laminated safety glass standards.



Applications of 17.52mm green toughened laminated glass:

1. Railing, balustrade, handrail, balcony.
2. Curtain wall and facades.
3. Doors, windows;
4. Skylight, canopy, roof;
5. Storefront glass, partitions.



Packing and Loading:

Safety plywood crates for exportation



S Z G

Professional glass manufacturer



Other types of laminated glass you may be interested in:

Clear laminated glass;

Low iron laminated glass;

Curved laminated glass;

Printing laminated glass;

Wire mesh laminated glass, etc..

