4mm Low Iron toughened glass for greenhouse - best greenhouse glass suppliers and manufacturers inChina

There are two typesof glass for greenhouse, clear tempered glass and low iron toughened glass. Inorder to directly get more sunlight, it is best to choose ultra clear temperedglass to use as greenhouse, and it must be in tempered glass to prevent theglass from breaking. 4mm ultra **clear tempered glass** greenhouse light transmission can reach 89% and 4mm low iron glass can reach 96%.

Specification:

Glass Type: Ultra clear toughened safety glass

Thickness: 4mm 5mm6mm 8mm 10mm etc

Max size:, customized sizes based on drawing

Process details:edges, and other process will be exact same as clients drawing.





Production of Greenhouse Glass:



Quality control:

Sun Global Glassprovide greenhouse glass comply with following standards:

1. 4mm ultra clear tempered glass greenhouse meet BS 6206 UK safety glass standard.

2. 4mm Low Iron toughened glass greenhouse meet EN 12150 CE European safety glassstandard.

3. 4mm Extra clear toughened glass greenhouse meet Chinese Safety Glass CompulsoryCertification (CCC).

4. 4mm extra clear toughened glass greenhouse meet Chinese Insulated Glass standardGB11944.

5. 4mm Low Iron toughened glass greenhouse meet SGCC American safety glassstandard.

Verification of Conformity

Glass in building - Laminated glass and laminated safety glass - Evaluation of conformity / Product standard
EN 14449:2005

QUALITY MANAGEMENT SYSTEM

CERTIFICATE

Shenzhen Sun Global Glass Co., Ltd

ISO 9001:2015

DECLARATION OF CONFORMITY

EC Declaration of CPD Conformity

SGS

TEST REPORT

SGS

TEST REPORT

SGS

TEST REPORT

DECLARATION OF CONFORMITY

EC Declaration of CPD Conformity

SGS

TEST REPORT

SentryGlas

Certificate No. DPSGP14006

DuPont Glass Laminating Solutions

is pleased to confirm that the company:

SHENZHEN SUN GLOBAL GLASS CO., Ltd

has successfully passed the qualification process of SentryGlas® on May, 2014.

This certificate is valid until the date shown in the below table as long as your manufacturing process for laminated safety glass remains unchanged. Renewal is subject to validation of newly supplied laminates.

Date: 2014-05-29

By DuPont:

Validity: