

## **SGG 8mm 10mm 12mm frameless frosted tempered glass door, acid etched glass door- CE/ BS 6206/ISO9001/CCC Standard Quality**

**Frosted glass door** is made by frosted tempered glass (acid etched glass or sandblasting glass) or annealed frosted glass. Mainly thickness of 8mm 10mm 12mm. Use frosted glass as door panel, because frosted glass is translucent, it lets light through the door, but stops clear vision. It also gives an elegance touch to the door. The glass door could be full screen acid etched, or frosted patterns, like stripes or complex patterns. Frosted glass door can also be made of laminated glass and insulated glass to achieve different functions required, such as sound proof glass door.

### **Features:**

**Safety**- Frosted tempered glass door is made of [tempered glass](#), it is 5 times stronger than annealed glass. If breakage happened, the glass will be shattered into many small glass fragments without sharp edges. It is protected people from serious injury.

**Privacy**- Frosted tempered glass can provide different degree of privacy protection by different design. We have full screen [frosted glass](#), and partial frosted patterns.

**Decoration**- Sun Global Glass offer different designs of frosted tempered glass, such as full size frosted glass, geometric patterns frosted glass (diamond, stripes, dots, squares...), complex patterns frosted glass.

Function- frosted tempered glass can also consist of laminated glass to prevent breakage, or sound insulation glass door.

### **Applications of tempered frosted glass doors:**

- frosted shower door
- office frosted door
- frosted meeting room door
- frosted bedroom door
- hotel frosted door
- villa frosted door
- others

### **Specifications:**

The frosted tempered glass doors can be made in single glass or double glass units.

Thickness for single type glass doors: 8mm 10mm 12mm etc

Thickness for double type glass doors: 5mm+5mm, 6mm+6mm, 8mm+8mm etc

Glass types: frosted tempered glass door, frosted [laminated glass](#) door, frosted [insulated glass](#) door

Glass door size: customized size, oversize is available  
Process details: polished edges, cut-outs, drilling holes

### **Quality Control:**


1. In accordance with BS 6206 UK safety glass standard.
2. In accordance with EN 12150 CE European safety glass standard.
3. In accordance with CCC and ISO 9001-2015 Chinese safety glass standard.

### **Product Details:**



**Product pictures of frosted tempered glass doors 8mm 10mm 12mm:**



**Process Details for tempered door glass:**



### Production Line for tempered door glass:



### Package and Loading:



**Our promise is that you receiving frosted tempered door glass 8mm 10mm 12mm with high quality and safety condition from us.**