
SZG 12mm tempered glass for tennis court paddle - CE and SGCC tempered glass factory and manufacturer in China

1/2 inch toughened glass for Paddle Tennis Court are made by 12mm clear tempered glass with size around 2x3m, customers normally choose Tapered holes design.



Features:

- 1. Strong strength: 1/2 inch toughened glass for Paddle Tennis Court is at least 4-5 times stronger than ordinary 12mm float glass. The toughening process has greatly reduced the risk of thermal breakage.
- 2. Safety glass: when breakage occurs, 1/2 inch toughened glass for Paddle Tennis Court will break into small cubic fragments and no harm to human body. This why use widely as tennis court paddle.
- 3. 1/2 inch toughened glass for Paddle Tennis Court has good thermal stability, can withstand 300 °C temperature difference, 3 times than the ordinary annealed glass.



Specification:

1. Glass thickness: normally in 10mm or 12mm, other thickness glass are available.
2. Color: Normally in clear tempered glass, other glass, such as, low Iron glass, Blue glass, Bronze glass Green glass, Gray glass, are available.
3. Glass type: always in tempered glass, other glass choice is ok.
4. Size reference: around 2x3m, other option will be ok.
5. Process details: polished edges, tapered holes etc.
6. Container option: 20 OT container or 40HQ container





Processed details on holes:

Holes edge to Glass Edge≥2.5 X glass thickness

Holes Diameter ≥2 X glass thickness

Holes edge to Glass Center≥5 X glass thickness





Glass Standard:

Our Paddle Tennis Court glass are produced under ISO9001 quality system and meet following domestic and international standards.

- 1. 12mm Platform tennis court Paddle court glass Comply with EN12150 CE European Safety Glass Standard.
- 2. 12mm Platform tennis court Paddle court glass Comply with BS 6206 UK Safety Glass Standard.
- 3. 12mm Platform tennis court Paddle court glass Comply with GB15763.2 National Glass Standard.
- 4. 12mm Platform tennis court Paddle court glass Comply with CCC(3C) Chinese Safety Glass Standard.



Inspection:

Our factory do strict factory inside inspection before delivery, to ensure all glass are in good condition after arrival customers' warehouse, reference see as below:



Hardware service:


If you need accessories for tennis court paddle, just send us the picture or drawing, we will provide fittings based on your need.







High-pressure & Cleaning



Tempering Inside Tempering Furnace

THE GLASS WALL IS MADE OF 12 MM THICK TEMPERED GLASS WITH 4 SIDES GRINDING AND POLISHING PRECISELY. THE COUNTER SUNK HOLES PUNCHED ON GLASS WHIT 8 HOLES.

TYPE: EXPLOSION-PROOF TEMPERED GLASS; SIZE 2980 X 1990 < 18 PIECES EACH COURT

CHARACTERISTIC: IMPACT RESISTANCE, THE GRAPE-SHOT BAG IMPACT PROPERTY AND FRAGMENTED FORM COMPLY WITH GB 15763.2-2005 <SAFETY GLAZING MATERIALS IN BUILDING PART 2 - TEMPERED GLASS

STANDARD:GB/T20394-2006, EN12150-1.

Complies with European standard EN12150-1







