


Energy Saving Glass 8MM Low E Toughened Glass Sunergy Clear AGC Series

AGC Synergy--clear Low E Glass is a pyrolytic, coated glass which has thin metal oxides by online CVD (chemical vapor deposition) method, and it provides both of excellent properties solar control and thermal insulation. Sunergy has characteristics of low exterior reflection and color-neutral appearance and it can be applied for high end architectural design and sophisticated aesthetics requirement. In winter, sunergy prevents heat loss and keeps the indoor climate at even temperature. In summer, sunergy provides excellent solar shading and reduces heat gain into the building.

They can become Flat & Curved tempered glass, laminated glass or insulated glass. In this section 8mm sunergy clear Low E tempered glass is produced by [8mm clear float glass](#), each glass has high transparent appearances and flatter surfaces, no bubbles, no mildew spots, no scratches; they have excellent performance on energy saving. Especially, when they applied to Bespoke Thickness Flat & Bent Low E Tempered Laminated glass Sunergy Clear or Flat & Bent Customize Thickness Sunergy Low E Tempered Insulated Glass.



Product Range:

1. [Bespoke Thickness Sunergy-Clear Low E Tempered Laminated Glass](#)
2. Bespoke Clear Low E Sunergy Tempered Insulated Glass
3. Bespoke Low E Sunergy Clear Tempered Glass With Heat Soaked Testing
4. Bespoke size and shape 8mm hard coating Low E sunergy glass heat strengthened
5. Customized thickness Low E Tempered Laminated Glass Sunergy Clear Heat Strength
6. Customized Sunergy Clear Low E Tempered Laminated Glass Heat Soak Test
7. ...

Features:

1. durable coating, can have a long life time;
2. excellent performance on energy saving;
3. high light transmittance;
5. superb quality and fast delivery time.
6. They are five times harder than 8mm Clear Low E Glass Sunergy

Specification:

1. Glass Type: 8MM Tempered Low E Glass Sunergy Clear Series
2. Glass Substrate: 8mm Sunergy Clear Low E Glass

3.Glass function: energy saving; UV protection, etc.

4.Glass brand name: AGC

5.Processing services: can be laminated, insulated, drilled holes, cut notches, beveled edges, safety corners, etc.

6.Thickness options: 4mm, 5mm, 6mm, 8mm &10mm

7.Standard sizes: flat & curved bespoke non-standard sizes or jumbo sizes are available upon the clients' requirement.

Application:

Sunergy clear low E Tempered Laminated Glass Facades; Tempered Low E Sunergy Clear Insulated Glass Curtain Walls; Sunergy Low E Glass windows; etc.