

Vidro laminado SZG 21,52 mm com serigrafia inferior - os melhores fabricantes e fábricas de vidro para construção na China

O vidro de impressão de tela de seda laminado de 21,52 mm é um tipo de vidro laminado, feito de uma camada de [Vidro de tela de seda de 10mm](#) e uma camada de sanduíche de vidro temperado de 10 mm. A camada do meio é o filme PVB de 1,52 mm, após o aquecimento e o processo especial de pressão h ig h, as duas camadas de adesão de vidro juntas. Com o processo de laminação, o vidro é super forte e protege contra a quebra. É um tipo de vidro de segurança para a construção civil moderna.



Recursos de vidro temperado laminado:

Característica do vidro 1. Tempered: o vidro laminado para serigrafia tem características de vidro temperado, ou seja, após a quebra, se transforma em granulado pequeno após a quebra, não prejudica os seres humanos.


2. Recursos do vidro de segurança: Devido ao PVB ter uma forte aderência, a quebra do vidro laminado não cairá e será aderida pelo filme pvb e.

3. Função de resistência ao som: A densidade do filme é diferente do vidro, portanto o vidro laminado pode interromper a transmissão do som em algum nível.

4. Resistência aos raios UV: O vidro laminado com tela de seda reduz a penetração dos raios UV e protege os objetos internos da radiação dos raios UV.



Laminated Glass



Especificação:

Espessura de vidro: vidro laminado de tela de seda 21.52mm

Outras espessuras de vidro: vidro laminado de frita cerâmica de 9,52 mm, vidro laminado de frita cerâmica de 11,52 mm, vidro laminado de frita cerâmica de 13,52 mm, vidro laminado de frita cerâmica de 17,52 mm, vidro laminado de frita cerâmica de 25,52 mm, vidro laminado de frita cerâmica de 31,52 mm, vidro laminado de frita cerâmica de 31,52 mm, frita de cerâmica de 39,52 mm vidro laminado etc




Tamanho máximo: 3300x12000mm

Espessura do vidro: vidro de tela de seda de 4 mm + 4 mm, vidro de tela de seda de 5 mm + 5 mm, vidro

de tela de seda de 6 mm + 6 mm, vidro de tela de seda de 8 mm + 8 mm, vidro de tela de seda de 10 mm + 10 mm, vidro de tela de seda de 12 mm + 12 mm etc

Cor do vidro: vidro laminado transparente, vidro laminado com baixo teor de ferro, vidro laminado verde, vidro laminado em bronze, vidro laminado azul, vidro laminado cinza, vidro laminado cinza, vidro laminado obscuro, vidro laminado impresso Frit etc.

Espessura PVB: vidro laminado de 0,76 mm, vidro laminado de 1,14 mm, vidro laminado de 1,52 mm, vidro laminado de 1,9 mm etc



Formulários:

O vidro laminado com tela de seda de 21,52 mm tem amplo uso na construção moderna, principalmente nas seguintes áreas:

1. Trilhos de vidro, balaustrada de vidro, cerca de vidro etc.

Divisória 2.Glass, parede de divisória de vidro, parede de vidro

Fachada 3.Glass, parede de cortina de vidro etc.



Certificados de qualidade:

O vidro laminado de 21,52 mm com serigrafia inferior é produzido estritamente sob o Sistema de Qualidade ISO9001 e passou os seguintes padrões de qualidade nacionais e internacionais:

1. O vidro laminado de 21,52 mm com impressão serigráfica inferior atende ao CCC (Certificação compulsória de vidro de segurança chinesa)
2. O vidro laminado de 21,52 mm com a serigrafia inferior atende ao padrão de vidro laminado da China GB9962.
3. O vidro laminado de 21,52 mm com serigrafia inferior atende ao padrão europeu de vidro de segurança EN14449: 2005.
4. O vidro laminado de 21,52 mm com a serigrafia inferior atende ao padrão americano de vidro de segurança SGCC ANSI Z97.

Verification of Conformity
No. 1870421204006

**Glass in building - Laminated glass and laminated safety glass -
Evaluation of conformity / Product standard
EN 14449:2005**

(This document is derived from the approved report 1870421204006)

The product in the certificate, laminated safety glass, manufactured by SHENZHEN SUN GLOBAL GLASS CO., LTD. was submitted for the manufacturer's Performance Testing according to the above-mentioned European standard. The results obtained, consistent with the applicable requirements. The test results and the details of the verification are available upon request to the issuing authority. This certificate is valid as long as the conditions set forth in the above document remain unchanged.

Company Name: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: #2, Qianghua Road, Shuanghuang, Shenzhen, Guangdong
Country: China

Manufacturer Name: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: #2, Qianghua Road, Shuanghuang, Shenzhen, Guangdong
Country: China

Product: Laminated Safety Glass
Model: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Material: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Test Method: EN 12150-2:2004

Shenzhen, 27 October 2017




**QUALITY MANAGEMENT SYSTEM
CERTIFICATE**

Certificate No. 1870421204006

To certify conformity that
Shenzhen Sun Global Glass Co., Ltd
located at: #2, Qianghua Road, Shuanghuang, Shenzhen, Guangdong, China

has been awarded this certificate for compliance with the standard
ISO 9001:2015

The Quality Management System Applies to the following area:
Rules of Building Glass (Heat Glass, Tempered Glass, Laminated Glass, Insulated Glass, Mirror Glass and Other Specialty Glass)

Date of Issue: Nov 09, 2016 Date of Validity: 31 Oct 2019

Surveillance Audit (The first time)	Surveillance Audit (The second time)	Surveillance Audit (The third time)

(The quality management system is subject to yearly surveillance audit under the period of validity the certificate is valid only, which must together with an acceptance period of surveillance audit issued by SGS.)

Signed by: 

This certificate and its relevant information can access to the website: www.sgs.com.cn

SHENZHEN HEADQUARTERS: 201204N4200004, CHENYU, #19-101-120
Address: #2, Qianghua Road, Shuanghuang, Shenzhen, Guangdong, China

Certificate No. 1870421204006

EC Declaration of CPD Conformity

The following product has been tested by Lubatex Technology Laboratories Ltd. with the testing elements and found in conformity with the CE Conformity Directive of 90/269/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Report No.: 1870421204006

Applicant: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: #2, Qianghua Road, Shuanghuang, Shenzhen, Guangdong, China

Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: #2, Qianghua Road, Shuanghuang, Shenzhen, Guangdong, China

Product: TEMPERED GLASS

Model No.: Sun, Sun, Sun, Sun, Sun, Sun, Sun
Trade Mark: N/A
Test Standard: EN 12150-2:2004

The relevant test results show that the product complies with the essential requirements in the above-mentioned standard. The applicant is authorized to use the certificate in connection with the CE Declaration of CPD conformity according to the Directive.

CE 

The certificate of conformity is based on a single evaluation of the submitted samples of the above-mentioned product. It does not imply an assessment of the whole production and other relevant Directive have to be observed.

Lubatex Technology Laboratories Ltd. Test Center, Prague, Czech Republic, 17th Floor
No. 161/1000 Praha 2, No. 161/1000 Praha 2, No. 161/1000 Praha 2

SGS TEST REPORT

No. 1870421204006
Page 1 of 1

SHENZHEN SUN GLOBAL GLASS CO., LTD.
#2, Qianghua Road, Shuanghuang, Shenzhen, Guangdong, China

The following product has been tested by SGS according to the above-mentioned standard. The results obtained, consistent with the applicable requirements. The test results and the details of the verification are available upon request to the issuing authority. This certificate is valid as long as the conditions set forth in the above document remain unchanged.

Company Name: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: #2, Qianghua Road, Shuanghuang, Shenzhen, Guangdong
Country: China

Manufacturer Name: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: #2, Qianghua Road, Shuanghuang, Shenzhen, Guangdong
Country: China

Product: Laminated Safety Glass
Model: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Material: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Test Method: EN 12150-2:2004

Shenzhen, 27 October 2017



SGS TEST REPORT

No. 1870421204006
Page 1 of 1

SHENZHEN SUN GLOBAL GLASS CO., LTD.
#2, Qianghua Road, Shuanghuang, Shenzhen, Guangdong, China

The following product has been tested by SGS according to the above-mentioned standard. The results obtained, consistent with the applicable requirements. The test results and the details of the verification are available upon request to the issuing authority. This certificate is valid as long as the conditions set forth in the above document remain unchanged.

Company Name: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: #2, Qianghua Road, Shuanghuang, Shenzhen, Guangdong
Country: China

Manufacturer Name: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: #2, Qianghua Road, Shuanghuang, Shenzhen, Guangdong
Country: China

Product: Laminated Safety Glass
Model: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Material: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Test Method: EN 12150-2:2004

Shenzhen, 27 October 2017



SGS TEST REPORT

No. 1870421204006
Page 1 of 1

SHENZHEN SUN GLOBAL GLASS CO., LTD.
#2, Qianghua Road, Shuanghuang, Shenzhen, Guangdong, China

The following product has been tested by SGS according to the above-mentioned standard. The results obtained, consistent with the applicable requirements. The test results and the details of the verification are available upon request to the issuing authority. This certificate is valid as long as the conditions set forth in the above document remain unchanged.

Company Name: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: #2, Qianghua Road, Shuanghuang, Shenzhen, Guangdong
Country: China

Manufacturer Name: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: #2, Qianghua Road, Shuanghuang, Shenzhen, Guangdong
Country: China

Product: Laminated Safety Glass
Model: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Material: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Test Method: EN 12150-2:2004

Shenzhen, 27 October 2017



Certificate No. 1870421204006

EC Declaration of CPD Conformity

The following product has been tested by Lubatex Technology Laboratories Ltd. with the testing elements and found in conformity with the CE Conformity Directive of 90/269/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Report No.: 1870421204006

Applicant: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: #2, Qianghua Road, Shuanghuang, Shenzhen, Guangdong, China

Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: #2, Qianghua Road, Shuanghuang, Shenzhen, Guangdong, China

Product: TEMPERED GLASS

Model No.: Sun, Sun, Sun, Sun, Sun, Sun, Sun
Trade Mark: N/A
Test Standard: EN 12150-2:2004

The relevant test results show that the product complies with the essential requirements in the above-mentioned standard. The applicant is authorized to use the certificate in connection with the CE Declaration of CPD conformity according to the Directive.

CE 

Lubatex Technology Laboratories Ltd. Test Center, Prague, Czech Republic, 17th Floor
No. 161/1000 Praha 2, No. 161/1000 Praha 2, No. 161/1000 Praha 2

SGS TEST REPORT

No. 1870421204006
Page 1 of 1

SHENZHEN SUN GLOBAL GLASS CO., LTD.
#2, Qianghua Road, Shuanghuang, Shenzhen, Guangdong, China

The following product has been tested by SGS according to the above-mentioned standard. The results obtained, consistent with the applicable requirements. The test results and the details of the verification are available upon request to the issuing authority. This certificate is valid as long as the conditions set forth in the above document remain unchanged.

Company Name: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: #2, Qianghua Road, Shuanghuang, Shenzhen, Guangdong
Country: China

Manufacturer Name: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Address: #2, Qianghua Road, Shuanghuang, Shenzhen, Guangdong
Country: China

Product: Laminated Safety Glass
Model: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Material: SHENZHEN SUN GLOBAL GLASS CO., LTD.
Test Method: EN 12150-2:2004

Shenzhen, 27 October 2017



Certificate No. DP90P14006

DuPont Glass Laminating Solutions

is pleased to confirm that the company:

SHENZHEN SUN GLOBAL GLASS CO., Ltd

has successfully passed the qualification process of SentryGlastm on May, 2014.

This certificate is valid until the date shown in the below table as long as your manufacturing process for laminated safety glass remains unchanged. Renewal is subject to validation of newly supplied laminates.

Date: 2014-05-29 By DuPont: 

VALIDITY	VALIDITY	VALIDITY	VALIDITY	VALIDITY	VALIDITY	VALIDITY	VALIDITY
2014.5.29	2014.5.29	2014.5.29	2014.5.29	2014.5.29	2014.5.29	2014.5.29	2014.5.29

SentryGlastm

