

Vidro laminado de cor preta SZG 10,76 mm - fabricantes e fábrica de vidro laminado com certificação CE e SGCC e fábrica na China

O vidro laminado a cores pvb preto de 10,76 mm é feito de duas camadas de [Vidro temperado de 5mm](#) sanduíche com cor preta pvb juntos. A camada do meio é filme PVB preto de 0,76 mm, após aquecimento e processo especial de alta pressão, as duas camadas de adesão de vidro juntas. Devido ao processo de laminação, o vidro laminado é super forte e de alta proteção contra quebra. O vidro temperado laminado é o vidro com maior segurança no mercado de vidro para edifícios modernos.





Especificação:

Tipo de vidro: 55,2 vidro de segurança laminado temperado preto

Outras espessuras de vidro: vidro laminado preto de 8,76 mm, vidro laminado preto de 12,76 mm, vidro laminado preto de 16,76 mm, vidro laminado preto de 20,76 mm etc

Opções de vidro disponíveis: vidro transparente, vidro com baixo teor de ferro, vidro verde, vidro bronze, vidro azul, vidro cinza, vidro gravado com ácido, vidro com tela de seda, vidro com baixo teor de vidro etc.

Espessura de PVB: vidro laminado pvb de 0,76 mm, vidro laminado de 1,14 mm PVB, vidro laminado de 1,52 mm PVB, vidro laminado de 1,9 mm PVB etc

Tamanho máximo: 3300x12000mm, tamanho personalizado com base no desenho do cliente



Shenzhen Sun Global Glass



Recursos de vidro laminado PVB preto:

Recursos de vidro 1.Safety: a quebra do vidro laminado não cairá e unirá pelo filme do pvb. É um tipo de vidro de segurança usado na construção.


Características do vidro 2.Tempered: o vidro temperado laminado após quebrado, a quebra não prejudicará os seres humanos devido à quebra do vidro em pequenos granulados e aderência pelo filme pvb.

3. O vidro laminado preto fornece excelente aparência ao vidro, usa-o amplamente como interior e exterior, como divisória, porta, vedação etc.

4. Como a cor é de pvb e não desaparece com o passar do tempo. A superfície de vidro laminado é suave e fácil de limpar.

Resistência aos raios 5.UV: o vidro laminado preto reduz a penetração dos raios UV e protege os objetos internos da radiação dos raios UV. É uma boa opção para manter os artigos longe da radiação solar.

6. Proteja a privacidade das pessoas: o vidro laminado de cor preta é opaco, tem um bom efeito de proteger a privacidade das pessoas.



Annealed Glass

Breaks easily, typically in long sharp shards.



Heat-strengthened glass

Resistant to breakage, 2X as strong as annealed glass, breaks in large shards.



Fully Tempered Glass

Resistant to breakage, 4X as strong as annealed glass, shatters completely in small pieces, typically vacates the frame after impact.



Laminated Glass

Resistant to penetration, breaks upon impact, tends to keep shards intact upon and after breakage. Two or more pieces of glass adhered together by interlayer.

Formulários:

Uso de vidro laminado pvb de 10,76 mm de cor preta no vidro interno e externo, o mesmo que abaixo:

Divisória de vidro

Parede de vidro

Porta de vidro


Cercado em vidro / para guarda-corpo

Vidro de decoração

Inspeção:

Tomamos uma inspeção cuidadosa antes da entrega.

O inspetor profissional autorizado pelo cliente para inspeção será muito bem-vindo.



Certificados de qualidade:

O vidro laminado pvb de 10,76 mm de cor preta é produzido estritamente sob o Sistema de Qualidade ISO9001 e passou os seguintes padrões de qualidade nacionais e internacionais:

1. O vidro laminado pvb de cor preta de 10,76 mm atende ao CCC (Certificação compulsória do vidro de segurança chinês).
2. O vidro laminado pvb de cor preta de 10,76 mm atende ao padrão de vidro laminado da China GB9962.
3. O vidro laminado pvb de 10,76 mm de cor preta atende aos padrões europeus de vidro de segurança EN12543, EN14449, qualidade de vidro de segurança americano SGCC ANSI Z97.

QUALITY MANAGEMENT SYSTEM CERTIFICATE
 Certificate No: HT0001308686
 Shenzhen Sun Global Glass Co., Ltd
 13th Floor, No. 19, Qianhai Avenue, Qianhai, Shenzhen, China
 Address: Room 31, Floor 3, Qianhai Avenue, Qianhai, Shenzhen, China
 has been awarded a certificate for compliance with the standard
ISO 9001:2015
 The Quality Management System applies to the following line:
 Sales of Building Glass (Frosted Glass, Tempered Glass, Laminated Glass, Insulated Glass, Mirror Glass and Other Safety Glass)
 Issued by China
 Date of Issue: Nov 09, 2016
 Date of Validity: 2016-11-09 to 2019-11-09
 The scope of validity for certification shall not extend beyond the scope of activities and the products listed in the scope of certification.
 The quality management system is subject to regular surveillance audits, within the period of validity for certification shall not extend beyond the scope of certification.
 The audit was carried out on 01 Nov 2016 by TÜV Rheinland Netherland B.V.
 Signed by: [Signature]
 TÜV Rheinland Netherland B.V.
 Address: Bldg. 100, Building 10, Oostervaart 10, 3720 XH Soest, The Netherlands

DECLARATION OF CONFORMITY
 Certificate NO: LBTC13012508
EC Declaration of CPD Conformity
 The following product has been tested by Labtest Technology Laboratory Ltd. with the testing standards and found to conform to the CE Conformity Directive of EN60683-2. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.
 Report No: LBTC13012508
 Applicant: SHENZHEN SUN GLOBAL GLASS CO., LTD
 Address: NO.34 FLOOR SUN BUILDING SUN BUILDING 34/F LOUGANG DISTRICT SHENZHEN GUANGDONG CHINA
 Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD
 Address: NO.34 FLOOR SUN BUILDING SUN BUILDING 34/F LOUGANG DISTRICT SHENZHEN GUANGDONG CHINA
 Product: TEMPERED GLASS
 Model No: 5mm, 6mm, 8mm, 10mm, 12mm, 15mm
 Trade Mark: SUN
 Test Standard: EN 12150-2:2004
 The relevant test reports show that the product complies with the essential requirements of the above listed standards. The applicant is authorized to use this certificate in connection with the EC Declaration of CPD Conformity according to the Directive.
 CE Marking: [CE Marking]
 This certificate of conformity is based on a single evaluation of the submitted samples of the above mentioned product. It does not imply an assessment of the whole production and other relevant Directives have to be observed.
 @ Guangdong Building Glass Test. No. 16, Xixiang, Yanshan, FUSION, 518000 CHINA. Tel: 86-755-2355-2282. E-mail: info@labtest.com

DECLARATION OF CONFORMITY
 Certificate NO: LBTC13012508
EC Declaration of CPD Conformity
 The following product has been tested by Labtest Technology Laboratory Ltd. with the testing standards and found to conform to the CE Conformity Directive of EN60683-2. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.
 Report No: LBTC13012508
 Applicant: SHENZHEN SUN GLOBAL GLASS CO., LTD
 Address: NO.34 FLOOR SUN BUILDING SUN BUILDING 34/F LOUGANG DISTRICT SHENZHEN GUANGDONG CHINA
 Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD
 Address: NO.34 FLOOR SUN BUILDING SUN BUILDING 34/F LOUGANG DISTRICT SHENZHEN GUANGDONG CHINA
 Product: Insulated Glass
 Model No: 6mm+12mm+6mm, 8mm+12mm+8mm, 10mm+12mm+10mm, 12mm+12mm+12mm
 Trade Mark: SUN
 Test Standard: EN 150-1:2014
 The relevant test reports show that the product complies with the essential requirements of the above listed standards. The applicant is authorized to use this certificate in connection with the EC Declaration of CPD Conformity according to the Directive.
 CE Marking: [CE Marking]
 This certificate of conformity is based on a single evaluation of the submitted samples of the above mentioned product. It does not imply an assessment of the whole production and other relevant Directives have to be observed.
 @ Guangdong Building Glass Test. No. 16, Xixiang, Yanshan, FUSION, 518000 CHINA. Tel: 86-755-2355-2282. E-mail: info@labtest.com

TÜV Rheinland Nederland B.V.
Test report
 Test report relating to a glass product according to European Standard EN 14466. Tempered safety glass, comprising the product marked as: tempered safety glass 13.5mm, manufactured by SHENZHEN SUN GLOBAL GLASS CO., LTD.
 Request number: R2016T-02
 Date: 08 September 2016
 Address: R. Bultmann
 Client: SHENZHEN SUN GLOBAL GLASS CO., LTD
 19, Qianhai Avenue Building, Qianhai, Shenzhen
 Project number: R2016T-02
 Project name: EN 14466-CPD135T-08
 Number of pages: 06
 @ TÜV Rheinland Nederland B.V.
 In case the client is not a legal entity or is not registered in this country and therefore is not a legal entity in this country, the responsibility of this report is limited to the information provided by the client and is not a legal entity in this country. The client is not a legal entity in this country.

SGS TEST REPORT
 No. : 2352481440
 Date: 06/09/2016
 Page: 1 of 1
 SHENZHEN SUN GLOBAL GLASS CO., LTD
 NO.34 FLOOR SUN BUILDING SUN BUILDING 34/F LOUGANG DISTRICT SHENZHEN GUANGDONG CHINA
 The following samples were submitted and identified on behalf of the client as:
 Sample Name: TEMPERED
 Sample Reference: SHENZHEN SUN GLOBAL GLASS CO., LTD
 Date of Receipt: 06/09/2016
 Test Number: 2352481440
 Test results: Please refer to the following report.
 Signed for and on behalf of:
 2352481440, Management Technicians Co. Ltd
 Guangdong Building Testing Centre
 [Signature]
 [Stamp]
 No. 16, Xixiang, Yanshan, FUSION, 518000 CHINA. Tel: 86-755-2355-2282. E-mail: info@labtest.com

FTL Penetration Testing Laboratory, Inc.
Penetration Test Report
 Report No: 201617016
 Date: 09/09/2016
 Page: 02 of 02

| Section | Sub-section | Result | Remarks | Method | Status |
|-----------------------------|-------------|--------|----------------|--------|--------|
| 1. General Information | 1.1 | Pass | Security audit | OSINT | Pass |
| | 1.2 | Pass | Security audit | OSINT | Pass |
| 2. Vulnerability Assessment | 2.1 | Pass | OSINT | OSINT | Pass |
| | 2.2 | Pass | OSINT | OSINT | Pass |

 The results of the penetration test are summarized in the following table:
 Overall score (Vulnerability): 0
 Top score (Vulnerability): 0.00
 Mean score (Vulnerability): 0.00
 Bottom score (Vulnerability): 0.00
 Signed for and on behalf of:
 201617016, Management Technicians Co. Ltd
 Guangdong Building Testing Centre
 [Signature]
 [Stamp]
 No. 16, Xixiang, Yanshan, FUSION, 518000 CHINA. Tel: 86-755-2355-2282. E-mail: info@labtest.com