



SZG toàn bộ xây dựng sân paddle tennis --- Thị trường CE Chất lượng Tiêu chuẩn sân tennis ở Trung Quốc

Chúng tôi có thể cung cấp sân tennis padel hoàn chỉnh, trọn bộ bao gồm [kính cường lực](#), Ống thép mạ kẽm, Đèn, Sân cỏ nhân tạo, Lưới tennis và vít, với kích thước sân padel 10 * 20m. Tất cả kính và phụ kiện cho sân tennis padel đều đạt tiêu chuẩn thị trường CE.





1. Kính cho sân padel:

Đối với sân tennis padel, chúng tôi thường sản xuất kính cường lực 12mm, một sân cần kích thước 18 chiếc xung quanh kính 2x3m, kích thước tùy chỉnh sẽ có sẵn.


Giấy chứng nhận vượt qua kính CE EN12150 của chúng tôi, với chất lượng tốt nhất và bảo hành chất lượng.

Nếu khách hàng chọn kính nhiều lớp cho sân padel, cũng có sẵn.



2. Ống thép mạ kẽm:

Chúng tôi sử dụng ống thép mạ kẽm chất lượng cao cho sân padel. Nó còn được gọi là mái metalic, chúng tôi cung cấp đủ năm bảo hành chất lượng.



3. Đèn LED lũ tùy chỉnh:

Chúng tôi cung cấp 4 bộ đèn LED, và đèn LED là 200 watt, chip Bridgelux, với 4 hạt đèn và áp suất rộng.



4. Cỏ nhân tạo tùy chỉnh:

Chiều cao sợi là 15mm, với Mật độ 63000 Tua / m² và Nội dung cọc là PP, Mặt sau bao gồm PP, lưới và SBR, màu sắc của Cỏ nhân tạo có thể được tùy chỉnh. Chúng tôi cung cấp đảm bảo cho cỏ nhân tạo chất lượng cao.



5. Lưới lưới tennis:

Lưới tennis có thể được tùy chỉnh dựa trên yêu cầu của khách hàng, màu phổ biến là xanh lá cây, đen, xanh lam, v.v. Nó được dệt kim Warp đảm bảo chất lượng, trong điều kiện thời tiết bình thường và sử dụng.



6. Tất cả các vít và bu lông cho padel tennis:

Chúng tôi cung cấp tất cả các vương miện và bu lông cần thiết cho sân padel, nó là loại không gỉ, với thời gian dài bảo hành nhiều năm.






Tham khảo dự án:

Dưới đây là một số sản phẩm vận động mà chúng tôi đã xây dựng trên toàn thế giới.



Kiểm tra:

Chúng tôi kiểm tra cẩn thận trước khi hàng hóa xuất xưởng, để giữ cho tất cả hàng hóa trong tình trạng tốt sau khi đến.



Chứng chỉ:

**QUALITY MANAGEMENT SYSTEM
CERTIFICATE**

Certificate No. 171001030006

No. 1601, 1602, 1603, 1604, 1605, 1606, 1607, 1608, 1609, 1610, 1611, 1612, 1613, 1614, 1615, 1616, 1617, 1618, 1619, 1620, 1621, 1622, 1623, 1624, 1625, 1626, 1627, 1628, 1629, 1630, 1631, 1632, 1633, 1634, 1635, 1636, 1637, 1638, 1639, 1640, 1641, 1642, 1643, 1644, 1645, 1646, 1647, 1648, 1649, 1650, 1651, 1652, 1653, 1654, 1655, 1656, 1657, 1658, 1659, 1660, 1661, 1662, 1663, 1664, 1665, 1666, 1667, 1668, 1669, 1670, 1671, 1672, 1673, 1674, 1675, 1676, 1677, 1678, 1679, 1680, 1681, 1682, 1683, 1684, 1685, 1686, 1687, 1688, 1689, 1690, 1691, 1692, 1693, 1694, 1695, 1696, 1697, 1698, 1699, 1700

Shenzhen Sun Global Glass Co., Ltd

No. 1601, 1602, 1603, 1604, 1605, 1606, 1607, 1608, 1609, 1610, 1611, 1612, 1613, 1614, 1615, 1616, 1617, 1618, 1619, 1620, 1621, 1622, 1623, 1624, 1625, 1626, 1627, 1628, 1629, 1630, 1631, 1632, 1633, 1634, 1635, 1636, 1637, 1638, 1639, 1640, 1641, 1642, 1643, 1644, 1645, 1646, 1647, 1648, 1649, 1650, 1651, 1652, 1653, 1654, 1655, 1656, 1657, 1658, 1659, 1660, 1661, 1662, 1663, 1664, 1665, 1666, 1667, 1668, 1669, 1670, 1671, 1672, 1673, 1674, 1675, 1676, 1677, 1678, 1679, 1680, 1681, 1682, 1683, 1684, 1685, 1686, 1687, 1688, 1689, 1690, 1691, 1692, 1693, 1694, 1695, 1696, 1697, 1698, 1699, 1700

Address: Room 301, Floor 3, China Materials 3rd Layer, Kowloon, Kowloon, District, Shenzhen, China

In view of the Quality Management System has been successfully certified for compliance with the standard ISO 9001:2015

The Quality Management System applies to the following area: Sales of Building Glass (Float Glass, Tempered Glass, Laminated Glass, Insulated Glass, Mirror Glass and Other Safety Glass)

Applicable China Standard: GB/T 19001-2016

Date of Issue: Nov 09, 2016

Valid Until: Dec 31, 2017

Next Review Date: (The first time)

Surveillance Audit: (The second time)

Re-certification Audit: (The third time)

The public inspection system is subject to fully surveillance with minor in part of auditing for compliance with the standard together with an inspection of surveillance audit once to ISO.

Issued by:

For certificate with reference information and query to the website of Certification and Accreditation Administration of the People's Republic of China (www.cnca.gov.cn)

MEMBER OF CHINA INTERNATIONAL CERTIFICATION LTD

Address: 301 Building, China Road, No. 1, China Materials 3rd Layer, Kowloon, District, Shenzhen, China

DECLARATION OF CONFORMITY

Labtest Laboratory Certificate NO: LBTC1011508

EC Declaration of CPD Conformity

The following product has been tested by Labtest Technology Laboratory Ltd. with the testing standards and found in conformity with the EC Council Directive of 89/106/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Report No: LBTC1011508

Applicant: SHENZHEN SUN GLOBAL GLASS CO., LTD

Address: NO.34 FLOOR 34A BUILDING 34A SUN GLOBAL PLAZA LONGGANG DISTRICT SHENZHEN GUANGDONG CHINA

Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD

Address: NO.34 FLOOR 34A BUILDING 34A SUN GLOBAL PLAZA LONGGANG DISTRICT SHENZHEN GUANGDONG CHINA

Product: TEMPERED GLASS

Model No: Sun, Sun, Sun, Sun, Sun, Sun, Sun, Sun

Trade Mark: SUN

Test Standards: EN 12150-2:2004

The referred test reports show that the product complies with the essential requirements of the above listed standards. The applicant is authorized to use this certificate in connection with the EC Declaration of CPD conformity according to the Directive.

This certificate of conformity is based on a single evaluation of the submitted samples of the above mentioned product. It does not imply an assessment of the whole production and other relevant Directives have to be observed.

© Guangdong Building Glass Test, No. 34 Floor, Building 34A, Sun Plaza, Longgang District, Shenzhen, China. Tel: 86 755 8122 1100 Fax: 86 755 8122 1101 Email: www.labtest.com

DECLARATION OF CONFORMITY

Labtest Laboratory Certificate NO: LBTC1011508

EC Declaration of CPD Conformity

The following product has been tested by Labtest Technology Laboratory Ltd. with the testing standards and found in conformity with the EC Council Directive of 89/106/EEC. It is possible to use CE marking to demonstrate the conformity with the CPD Directive.

Report No: LBTC1011508

Applicant: SHENZHEN SUN GLOBAL GLASS CO., LTD

Address: NO.34 FLOOR 34A BUILDING 34A SUN GLOBAL PLAZA LONGGANG DISTRICT SHENZHEN GUANGDONG CHINA

Manufacturer: SHENZHEN SUN GLOBAL GLASS CO., LTD

Address: NO.34 FLOOR 34A BUILDING 34A SUN GLOBAL PLAZA LONGGANG DISTRICT SHENZHEN GUANGDONG CHINA

Product: Insulated Glass

Model No: Sun+Glass, Sun+Glass, Sun+Glass, Sun+Glass, Sun+Glass, Sun+Glass, Sun+Glass, Sun+Glass

Trade Mark: SUN

Test Standards: EN 1279-1

The referred test reports show that the product complies with the essential requirements of the above listed standards. The applicant is authorized to use this certificate in connection with the EC Declaration of CPD conformity according to the Directive.

This certificate of conformity is based on a single evaluation of the submitted samples of the above mentioned product. It does not imply an assessment of the whole production and other relevant Directives have to be observed.

© Guangdong Building Glass Test, No. 34 Floor, Building 34A, Sun Plaza, Longgang District, Shenzhen, China. Tel: 86 755 8122 1100 Fax: 86 755 8122 1101 Email: www.labtest.com

TÜV Rheinland Nederland B.V.

Test report

Test report relating to a glass product according to European standard EN 14448, laminated safety glass, comprising the product marked as laminated safety glass 13,5mm, manufactured by SHENZHEN SUN GLOBAL GLASS CO., LTD.

Report number: R20167-02

Date: 09 September 2016

Author(s): R. Buissonnet

Client: SHENZHEN SUN GLOBAL GLASS CO., LTD
34/F, China Materials Building, Kowloon, District, Shenzhen, Guangdong, China

Project number: R20167-02

Product name: EN 14448-CPD1352-008

Number of pages: 02

As part of the report, the test report provides a table containing the results and a certificate of test results. The test report is valid for 12 months after the date of issue.

In case the client or producer asks the auditor to be authorized by TÜV Rheinland Nederland B.V. as a signatory of conformity with the standard, then it is necessary to obtain the necessary authorizations from TÜV Rheinland Nederland B.V. for the test report to be used for the above-mentioned purposes.

© 2016 TÜV Rheinland Nederland B.V.

Responsible for: R. Buissonnet

Responsible for: R. Buissonnet

Responsible for: R. Buissonnet

Responsible for: R. Buissonnet

SGS

TEST REPORT

No.: 201604000000
Date: 20.09.2016
Page: 1 of 1

SHENZHEN SUN GLOBAL GLASS CO., LTD
NO.34 FLOOR 34A BUILDING 34A SUN GLOBAL PLAZA LONGGANG DISTRICT SHENZHEN GUANGDONG CHINA

The following company name was submitted and specified on behalf of the client as:

Sample Name: SUN
Sample Reference: SHENZHEN SUN GLOBAL GLASS CO., LTD
Date of Report: 20.09.2016
Test Report: 20.09.2016

Test request: Please refer to the following report:
Reference to be used: 201604000000

Signed for and on behalf of:
SGS, SGS, SGS, SGS, SGS, SGS, SGS, SGS
Guangdong Building Glass Test, No. 34 Floor, Building 34A, Sun Plaza, Longgang District, Shenzhen, China

Responsible for: R. Buissonnet

Responsible for: R. Buissonnet

Responsible for: R. Buissonnet

Responsible for: R. Buissonnet

FTL

Quality Assurance Institute

Penetration Testing Laboratory, Inc.

10000 W. 10th Avenue, Suite 100, Golden, CO 80401, USA

Report Date: 09/23/2016
Page: 1 of 1
Rev. Number: 002

Results of Test(s):

Sequence No.	Test Standard	Result	Remarks	Accepted	Method	Result
1	EN 14448	Pass	Penetration test	Pass	Water Penetration Test	Pass
2	EN 14448	Pass	Penetration test	Pass	Water Penetration Test	Pass

Overall glass thickness of specimens: 13.5 mm

Top outer glass thickness: 6.35 mm

Inner core thickness: 6.35 mm

Bottom outer glass thickness: 6.35 mm

Notes: All test specimens were submitted by, but not prepared by, the client. The test results are based on the test specimens submitted by the client. The test results are based on the test specimens submitted by the client. The test results are based on the test specimens submitted by the client.

Author of Report: R. Buissonnet

Responsible Engineer: R. Buissonnet

Responsible for: R. Buissonnet

Responsible for: R. Buissonnet

Responsible for: R. Buissonnet